

Youth Risk Behavior Surveillance System (YRBSS)



2015 YRBS National, State, and District Combined Datasets User's Guide

August 2016

Where can I get more information? Visit www.cdc.gov/yrbss or call 800–CDC–INFO (800–232–4636).

National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention
Division of Adolescent and School Health



2015 YRBS Combined Datasets User's Guide

TABLE OF CONTENTS

Introduction.....	1
Purpose.....	1
Contents	1
Background	2
Data File Structure	3
Other Resources	3
Surveys Included in the Combined Datasets	4
Data Inclusion Criteria.....	4
Survey Inclusion by Year	4
Variables Included in the Combined Datasets	5
Categories of Variables Included.....	5
Sample Variables	5
Demographic Variables	6
Body Mass Index (BMI) Variables.....	8
Sexual Minority Variables	8
2015 Questionnaire Variables.....	10
2015 Supplemental Variables	10
Selected Additional Risk Behavior Variables	13
Analytic Considerations.....	16
Introduction.....	16
Software Requirements	16
Minimum Cell Size.....	16
Combining State and District Datasets	16
Appendix A: Record Counts by Survey and Year	17
Appendix B: Surveys that Included Sexual Minority Questions	21
Appendix C: 2015 Questionnaire Variable Specifications	25
Appendix D: 2015 Supplemental Variable Specifications	56
Appendix E: Selected Additional Risk Behavior Variable Specifications	67

Where can I get more information? Visit www.cdc.gov/yrbss or call 800–CDC–INFO (800–232–4636).

Introduction

Purpose The YRBS Combined Datasets contain data from YRBS surveys conducted from 1991-2015 nationwide for the United States overall and in multiple states and districts from 1991 - 2015. The purpose of the Combined Datasets is to facilitate YRBS data analyses that require data from multiple years and/or multiple surveys.

Contents This documentation contains the following sections:

- Introduction
- Surveys Included in the Combined Datasets
- Variables Included in the Combined Datasets
- Analytic Considerations
- Appendix A: Record Counts by Survey and Year
- Appendix B: Surveys that Included Sexual Minority Questions
- Appendix C: 2015 Questionnaire Variable Specifications
- Appendix D: 2015 Supplemental Variable Specifications
- Appendix E: Selected Additional Risk Behavior Variable Specifications

Note: This document contains information specific to the Combined Datasets. Information on general YRBS data processing and data editing procedures are not included. When needed, references to other YRBS technical documents are provided.

Background

The YRBS Combined Datasets include YRBS survey data from all national and the majority of weighted national, state, and large urban school district surveys conducted from 1991 to 2015.

Reasons to combine YRBS datasets include:

- to increase analytic sample size
- to increase the represented area or population (i.e., a region of the country)
- to identify changes in prevalence of a behavior across time (i.e., trend analysis)

The Combined Datasets provide several advantages to analysts:

- The variables in the Combined Datasets have been standardized across survey years. The variable Q27, for instance, means the same thing across all years of data. Analysts do not have to crosswalk the questionnaires and variables across multiple survey years themselves.
- The Combined Datasets contain results from multiple state and district surveys. Analysts do not have to get individual files from individual surveys and combine them.

Limitations to consider include:

- All surveys are not in the dataset. State and district YRBS datasets are owned and controlled by the health and education agencies that conducted the surveys. Some of these agencies did not give CDC permission to include their data in the Combined Datasets. Therefore, some analyses conducted using the Combined Datasets may produce results that do not match results previously published by CDC. Refer to the “YRBSS Participation History & Data Quality” table on the “YRBSS Participation Maps & History” page at www.cdc.gov/yrbss for more information about surveys conducted and data availability.
- The Combined Datasets are based on the 2015 YRBS standard questionnaire and include data from selected optional YRBS questions. Datasets from earlier years will have more missing data because questionnaires from earlier years did not include the same standard questions as the 2015 questionnaire did.
- Many state and district surveys do not include all of the 2015 standard YRBS questions. Some surveys delete some standard questions from their questionnaires. Data will be missing from some surveys for some variables due to these deletions. Many state and district surveys do not include all the standard questions in their questionnaires. Most standard questions are asked but some data will be missing from some state and local surveys.

Data File Structure

The datasets are split into four groups due to large file sizes. The split files make it easier to download just the file(s) of interest. The datasets are split as follows:

1. National data
2. Data from states with names beginning with A through M
3. Data from states with names beginning with N through Z
4. District data

Data for each group are provided in MS Access and ASCII data formats. The MS Access files are posted as zip files to make downloading them easier. The ASCII files can be read by common statistical packages. Programs to read the data in SAS and SPSS are posted on the website. A program to create a SAS format library is also posted on the website.

Refer to the “Data & Documentation” page at www.cdc.gov/yrbss for details about file names, downloading the data, and how to use the SAS and SPSS programs.

Other Resources

Readers unfamiliar with YRBS data should review:

- the latest [data documentation](#),
- [YRBS Questionnaire Content](#),
- [Methodology of the Youth Risk Behavior Surveillance System—2013](#),
- [Software for Analysis of YRBS Data](#),
- [Interpretation of YRBS Trend Data](#),
- [Conducting Trend Analyses of YRBS Data](#),
- [Combining YRBS Data Across Years and Sites](#)
- [How to Analyze YRBS Sexual Minority Data](#), and
- the “YRBSS Frequently Asked Questions” page on the YRBS website at <http://www.cdc.gov/healthyyouth/data/yrbs/faq.htm>.

Note: This document is not intended to teach statistical methods or inference techniques and assumes the reader is familiar with the concepts referenced, for example, weighting methods, analysis of complex survey data, data management, and statistical software and programming for analyzing YRBS data.

Surveys Included in the Combined Datasets

Data Inclusion Criteria	<p>All national surveys conducted between 1991 and 2015 are included.</p> <p>State and district surveys are included in the Combined Datasets if:</p> <ul style="list-style-type: none">• they were conducted between 1991 and 2015,• they were a high school survey,• the data were weighted, and• the state or district health or education agency conducting the survey gave CDC permission to include the data in the Combined Datasets or the data come from the national YRBS survey.
--------------------------------	--

Note: The state and district health and education agencies that conduct a YRBS survey with technical and financial assistance from CDC own and control access to their data. Some sites of these agencies did not grant CDC permission to include their data in the Combined Datasets.

Refer to the “Participation History & Data Quality” table on the “Participation Maps & History” page at www.cdc.gov/yrbss for more information about surveys conducted and data availability.

Survey Inclusion by Year	<p>Refer to Appendix A for the number of records available by survey and by year.</p> <p>No records in a given year means that:</p> <ul style="list-style-type: none">• the survey was not conducted in that year or• the survey was conducted but the response rate was not sufficient to allow the data to be weighted.
---------------------------------	--

Variables Included in the Combined Datasets

Categories of Variables Included

Seven kinds of variables are included in the Combined Datasets:

- Sample variables
- Demographic variables
- Body mass index (BMI) variables
- Sexual minority variables
- 2015 questionnaire variables,
- 2015 supplemental variables, and
- Selected additional risk behavior optional question variables.

Some surveys delete some standard questions from their questionnaires. Data will be missing from some surveys for some variables due to these deletions. Many state and district surveys do not include all the standard questions in their questionnaires. Most standard questions are asked but some data will be missing from some state and local surveys.

The combined datasets include 2015 data and data from previous years that map to 2015 questions. Datasets from earlier years will have more missing data because questionnaires from earlier years did not include the same standard questions as the 2015 questionnaire did.

Sample Variables

Sample variables identify records by survey, sitetype, and survey year and provide information needed to perform statistical analyses appropriately.

Variable	Description
sitecode	Two- or three-character survey site code that uniquely identifies a survey location
sitename	Name of location covered by a survey
sitetype	Type of survey site – “District”, “State”, or “National”
sitetyenum	Numeric indicator of type of survey site: 1 = “District” 2 = “State” 3 = “National”
year	4-digit year of survey – 1991, 1993, etc.

2015 YRBS Combined Datasets User's Guide

survyear	Number of year of survey: 1=1991 2=1993 3=1995, etc.
weight	Analytical weight – used in statistical analyses
stratum	Stratum – used in statistical analyses
PSU	Primary Sampling Unit (PSU) – used in statistical analyses

Refer to [Software for Analysis of YRBS Data](#) for details on using weight, stratum, and PSU correctly.

Demographic Variables

Demographic variables identify respondents by various demographic characteristics. These variables are self-reported; some respondents may not have answered the relevant question.

Variable	Description
age	Data from: How old are you? A. 12 years old or younger B. 13 years old C. 14 years old D. 15 years old E. 16 years old F. 17 years old G. 18 years old or older
sex	Data from: What is your sex? A. Female B. Male

2015 YRBS Combined Datasets User's Guide

grade	Data from: In what grade are you? A. 9th grade B. 10th grade C. 11th grade D. 12th grade E. Ungraded or other grade
race4	4-level variable from race and ethnicity questions: 1 = "White" 2 = "Black or African American" 3 = "Hispanic/Latino" 4 = "All Other Races"
race7	7-level variable from race and ethnicity questions: 1 = "American Indian/Alaska Native" 2 = "Asian" 3 = "Black or African American" 4 = "Hispanic/Latino" 5 = "Native Hawaiian/Other Pacific Islander" 6 = "White" 7 = "Multiple Races (Non-Hispanic)"

Race and ethnicity questions have changed over time. Race4 and race7 are coded to bridge over these changes to provide a 4- or 7-level indicator appropriate for all years.

Refer to [YRBS Questionnaire Content](#) for information about specific questions asked in a given year.

Refer to the [2015 YRBS Data User's Guide](#) for details on how race/ethnicity variables are edited and calculated.

2015 YRBS Combined Datasets User's Guide

Body Mass Index (BMI) Variables

Body mass index (BMI), body mass index percentile, an obesity indicator, and an overweight indicator are calculated from self-reported height and weight.

Variable	Description
stheight	Data from: How tall are you without your shoes on?
stweight	Data from: How much do you weigh without your shoes on?
bmi	Body mass index (BMI)
bmipct	Student's bmi percentile
qnobese	Obesity indicator
qnobt	Overweight indicator

Refer to Appendix C and the [2015 YRBS Data User's Guide](#) for details on how these variables are edited and calculated.

Sexual Minority Variables

Sexual minority variables for surveys that included the questions include two variables from the original questions measuring sexual identity and sex of sexual contacts and four variables that categorize the responses from those questions. Sexpart and sexpart2 of sexual contacts are calculated by crossing the responses to "What is your sex?" and "During your life, with whom have you had sexual contact?"

Variable	Description
Q68	Data from: Which of the following best describes you? A. Heterosexual (straight) B. Gay or lesbian C. Bisexual D. Not sure

2015 YRBS Combined Datasets User's Guide

Q67	Data from: During your life, with whom have you had sexual contact? A. I have never had sexual contact B. Females C. Males D. Females and males
sexid	Sexual identity: 1 = "Heterosexual" 2 = "Gay or Lesbian" 3 = "Bisexual" 4 = "Not Sure"
sexid2	Collapsed sexual identity: 1 = "Heterosexual" 2 = "Sexual Minority" (includes students who responded that they were gay or lesbian or bisexual) 3 = "Unsure"
sexpart	Sex of sexual contact(s): 1 = "Never had sex" 2 = "Opposite sex only" 3 = "Same sex only" 4 = "Both Sexes"
sexpart2	Collapsed sex of sexual contact(s): 1 = "Never had sex" 2 = "Opposite sex only" 3 = "Same sex only or both sexes"

Refer to Appendix B for a list of surveys that included the sexual identity question and/or the sex of sexual contact question.

Refer to the [How to Analyze YRBS Sexual Minority Data](#) for details on best practices for analyzing data from the sexual identity and sex of sexual contacts questions.

Note: Starting with the 2015 YRBS cycle, the questions measuring sexual identity and sex of sexual contact were included for the first time on the

2015 YRBS Combined Datasets User's Guide

national YRBS questionnaire and the standard questionnaire that state and local health and education agencies use to develop their own YRBS questionnaire. Most but not all agencies chose to keep these questions in their 2015 YRBS questionnaire.

2015 Questionnaire Variables

2015 questionnaire variables in original and dichotomized versions.

Variable	Description
q8-q89	Original data from questions 8 through 89 on the 2015 YRBS standard questionnaire. They are named with a “q” followed by the question number.
qn8-qn89	Dichotomized versions of questions 8 through 89. They are named with a “qn” followed by the question number. The dichotomous variables are set to “1” when the student responds with an answer that is in the response(s) of interest (ROI). Students that respond otherwise are set to “2.” Dichotomized variables are help analysts easily analyze risk behaviors in a way that reflects terms of broad interest.

Refer to Appendix C for detailed specifications on the questionnaire variables, what each dichotomous variable represents, and how they are calculated.

Refer to the [2015 YRBS Data User's Guide](#) for more explanation of dichotomous variables.

2015 Supplemental Variables

Supplemental variables calculated from the 2015 questionnaire. Supplemental dichotomous variables of broad interest. They are named with a “qn” followed by a word that indicates the content of the variable. Supplemental variables are calculated based on data from one or sometimes more than one question.

Variable	Description/Variable Label
qnfreig	Currently frequently smoked cigarettes
qndaycig	Currently smoked cigarettes daily

2015 YRBS Combined Datasets User's Guide

qncigint	Usually obtained their own cigarettes by buying on the internet
qntob2	Currently smoked cigarettes or cigars
qntob3	Currently used cigarettes, cigars, or smokeless tobacco
qntob4	Currently used tobacco
qnnotob2	Did not currently smoke cigarettes or cigars
qnnotob3	Did not currently use cigarettes, cigars, or smokeless tobacco
qnnotob4	Did not currently use tobacco
qniudimp	Used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon)
qnshparg	Used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing)
qnothhpl	Used birth control pills; an IUD or implant; or a shot, patch, or birth control ring
qndualbc	Used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse
qnbcnone	Did not use any method to prevent pregnancy
qnfr0	Did not eat fruit or drink 100% fruit juices
qnfr1	Ate fruit or drank 100% fruit juices one or more times per day
qnfr2	Ate fruit or drank 100% fruit juices two or more times per day
qnfr3	Ate fruit or drank 100% fruit juices three or more times per day
qnveg0	Did not eat vegetables
qnveg1	Ate vegetables one or more times per day
qnveg2	Ate vegetables two or more times per day
qnveg3	Ate vegetables three or more times per day
qnsoda1	Drank a can, bottle, or glass of soda or pop one or more times per day
qnsoda2	Drank a can, bottle, or glass of soda or pop two or more times per day

2015 YRBS Combined Datasets User's Guide

qnsoda3	Drank a can, bottle, or glass of soda or pop three or more times per day
qnmilk1	Drank one or more glasses per day of milk
qnmilk2	Drank two or more glasses per day of milk
qnmilk3	Drank three or more glasses per day of milk
qnbk7day	Ate breakfast on all 7 days
qnpa0day	Did not participate in at least 60 minutes of physical activity on at least 1 day
qnpa7day	Were physically active at least 60 minutes per day on all 7 days
qndlype	Attended physical education classes on all 5 days

Refer to Appendix D for detailed specifications about what each supplemental variable represents and how it is calculated.

Refer to the [2015 YRBS Data User's Guide](#) for more explanation of supplemental variables.

2015 YRBS Combined Datasets User's Guide

Selected Additional Risk Behavior Variables

Selected additional risk behavior variables in original and dichotomized versions. These variables come from questions that are not on the standard 2015 YRBS questionnaire but that are considered to be of broad interest. The variables for the original questions are named with a “q” followed by a word that indicates the content of the variable. The dichotomized versions are named with a “qn” followed by a word that indicates the content of the variable.

Variable	Description/Variable Label
qhowmarijuana	Usual use of marijuana
qhallucdrug	Ever used LSD
qnsunscreenuse	Sunscreen use outside
qnindoortanning	How many times indoor tanning
qnmusclestrength	Strengthen muscles past 7 days
qgenderexp	How others would describe you
qcelldriving	Did you talk on cell phone while driving
qbullyweight	Ever been teased because of weight
qbullygay	Ever been teased b/c labeled GLB
qtypealcohol	What type of alcohol usually drink 30d
qcigschool	Days use cigarettes school property 30 days
qchewtobschool	Days use snuff school property 30 days
qalcoholschool	How many days drink @ school 30 days
qmarijuanaschool	How many times marijuana @ school 30 days
qprescription30d	Times take drug w/o prescription 30d
qcurrentcocaine	How many times use cocaine 30 days
qcurrentasthma	Do you still have asthma
qtaughtsexed	Ever had sex education in school
qtaughtstd	Ever been taught in school about STDs
qtaughtbc	Ever been taught about BC methods in sch
qdietpop	How many times diet soda past 7 days
qcoffeetea	Times drink coffee or tea past 7 days
qsportsdrink	How many times sports drink past 7 days
qenergydrink	How many times energy drink past 7 days

2015 YRBS Combined Datasets User's Guide

qsugardrink	Times sugar-sweetened beverage past 7d
qwater	How many times plain water past 7 days
qfastfood	Days 1+ meal/snack fast food past 7d
qfoodallergy	Food allergies
qsunburn	Sunburn
qconcentrating	Difficulty concentrating
qspeakenglish	How well speak English
qnhowmarijuana	Usually used marijuana by smoking it in a joint, bong, pipe, or blunt
qnhallucdrug	Used LSD 1+ times
qnsunscreenuse	Mostly or always wear sunscreen
qnindoortanning	Used 1+ times indoor tanning
qnmusclestrength	Strengthened muscles 3+ of past 7 days
qngenderexp	Equally feminine and masculine
qncelldriving	Talked on cell phone driving 1+ past 30d
qnbullyweight	Been teased b/c of weight past 12 mos
qnbullygay	Been teased b/c labeled GLB past 12 mos
qntypealcohol	Liquor type alcohol drank past 30 days
qncigschool	Used cigarettes at school 1+ 30 days
qncchewtobschool	Used snuff/dip at school 1+ 30 days
qnalcoholschool	Had 1+ drinks at school 1+ 30 days
qnmarjuanaschool	Used marijuana @ school 1+ times 30 day
qnprescription30d	Prescription drug 1+ times past 30 days
qncurrentcocaine	Used cocaine 1+ times past 30 days
qncurrentasthma	With current asthma
qntaughtsexed	Had sex education in school ever
qntaughtstd	Been taught in school about STDs ever
qntaughtbc	Been taught in school about BC methods
qndietpop	Drink 1+ times/day diet soda past 7d
qncoffeetea	Drank 1+ times/day coffee/tea past 7d
qnsportsdrink	Did not drink a can, bottle, or glass of a sports drink
qnsprk1	Drank 1+ times sports drink/day 7d

2015 YRBS Combined Datasets User's Guide

qnspdrk2	Drank 2+ times sports drink/day 7d
qnspdrk3	Drank 3+ times sports drink/day 7d
qnenergydrink	Drank 1+ times/day energy drink past 7d
qnsugardrink	Drank 1+times/day sugar beverage past 7d
qnwater	Did not drink a bottle or glass of plain water
qnwater1	Drank 1+ times plain water/day 7d
qnwater2	Drank 2+ times plain water/day 7d
qnwater3	Drank 3+ times plain water/day 7d
qnfastfood	Ate 1+ meal/snack fast food 3+ days
qnfoodallergy	Have to avoid some foods because eating the food could cause an allergic reaction
qnsunburn	Had a sunburn
qnconcentrating	Have serious difficulty concentrating, remembering, or making decisions
qnspeakenglish	Speak English well or very well

Refer to Appendix E for detailed specifications about the selected additional risk behavior variables.

Analytic Considerations

Introduction

Important analytic considerations include

- Software requirements
- Minimum cell size
- Combining state and district datasets

Software Requirements

The YRBS uses a multi-stage cluster sample design. Statistical software used to analyze YRBS data should account for this design. Many packages with this capability are available.

Refer to [Software for Analysis of YRBS Data](#) for more information on five statistical packages (SUDAAN, SAS, STATA, SPSS, and Epi Info) that can be used to analyze the YRBS.

Minimum Cell Size

In general, CDC analyses of YRBS data use 100 as the minimum cell denominator although other analyses have used lower cutoffs (CDC uses 30 as the minimum cell size when analyzing sexual minority data, for instance). Different cutoffs can be used but it's important to set a level for any analyses and to be aware of cell size when analyzing the data.

Note: This refers to the denominator, not numerator. It is possible to have numerators of 0; these are reported as 0% with no confidence intervals.

Combining State and District Datasets

Generally, as long as there is a sufficient number of records, it is recommended that state data be combined only with other states and that districts be combined only with other districts.

It is not recommended to combine state data and district data because of possible overlap between the two and because state data contain both urban and rural students while district data contain only urban students.

Refer to [Combining YRBS Data Across Years and Sites](#) for more information about combining YRBS datasets.

Appendix A: Record Counts by Survey and Year

Appendix A Appendix A contains number of records available by survey and by year. National, state, and district YRBS data come from separate scientific samples of schools and students. National YRBS datasets are not the aggregate of the state YRBS dataset. State and district YRBS dataset are not subsets of the National YRBS data set.

Number of National Survey Records by Year of Survey														
Survey Site Name (Sitecode)	Year of Survey													
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013	2015	Total
United States (XX)	12,272	16,296	10,904	16,262	15,349	13,601	15,214	13,917	14,041	16,410	15,425	13,583	15,624	188,898

Number of Records by State and Year of Survey														
Survey Site Name (Sitecode)	Year of Survey													
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013	2015	Total
Alabama (AL)	2,477	4,412	3,911	3,787	2,095	1,578	1,088	1,140	0	1,520	1,358	1,574	1,565	26,505
Alaska (AK)	0	0	1,634	0	0	0	1,481	0	1,318	1,373	1,327	1,235	1,418	9,786
Arizona (AZB)	0	0	0	0	0	0	3,431	3,307	3,095	2,596	2,899	1,623	2,582	19,533
Arkansas (AR)	0	0	2,267	1,991	1,454	1,694	0	1,615	1,608	1,690	1,375	1,547	2,880	18,121
California (CA)	0	0	0	0	0	0	0	0	0	0	0	0	1,943	1,943
Connecticut (CT)	0	0	0	1,690	0	0	0	2,256	2,072	2,392	2,058	2,405	2,398	15,271
Delaware (DE)	0	0	0	0	2,180	2,915	3,048	2,717	2,627	2,407	2,299	2,756	2,777	23,726
Florida (FL)	0	0	0	0	0	4,237	4,080	4,564	4,523	5,664	6,212	6,089	6,359	41,728
Idaho (ID)	4,212	4,032	0	0	0	1,714	1,731	1,457	1,440	2,164	1,702	1,886	1,760	22,098
Illinois (IL)	0	4,056	3,102	0	0	0	0	0	2,438	3,051	3,616	3,276	3,282	22,821
Iowa (IA)	0	0	0	1,521	0	0	0	1,359	1,440	0	1,535	0	0	5,855

2015 YRBS Combined Datasets User's Guide

Number of Records by State and Year of Survey														
Survey Site Name (Sitecode)	Year of Survey													
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013	2015	Total
Kansas (KS)	0	0	0	0	0	0	0	1,654	1,733	2,026	1,876	1,941	0	9,230
Kentucky (KY)	0	0	0	1,465	0	0	1,613	3,282	3,595	1,777	1,829	1,626	2,577	17,764
Maine (ME)	0	0	1,388	1,837	0	1,351	1,680	1,375	1,324	9,275	9,918	9,017	9,605	46,770
Maryland (MD)	0	0	0	0	0	0	0	1,414	1,528	1,644	2,920	53,785	55,596	116,887
Michigan (MI)	0	0	0	3,933	2,690	3,630	3,452	3,253	3,532	3,411	4,194	4,266	4,816	37,177
Mississippi (MS)	0	1,394	1,273	1,532	1,565	1,806	1,488	0	1,614	1,795	1,828	1,584	2,154	18,033
Missouri (MO)	0	0	4,900	1,483	1,652	1,650	1,551	1,878	1,561	1,624	0	1,616	1,502	19,417
Montana (MT)	0	2,518	2,535	2,457	2,917	2,755	2,781	3,077	4,030	1,852	4,148	4,889	4,486	38,445
Nebraska (NE)	2,455	3,178	0	0	0	0	2,933	3,755	0	0	3,832	1,885	1,688	19,726
Nevada (NV)	0	2,030	1,538	1,464	1,677	1,464	1,982	1,556	1,783	2,085	0	2,133	1,452	19,164
New Hampshire (NH)	0	2,684	2,092	0	0	0	1,327	1,276	1,638	1,493	1,413	1,634	14,837	28,394
New Jersey (NJ)	0	0	0	0	0	2,142	0	1,495	0	1,756	1,657	1,701	0	8,751
New York (NY)	0	0	0	3,741	3,312	0	9,320	9,708	13,439	14,870	13,201	10,643	10,834	89,068
North Carolina (NC)	0	2,439	1,779	0	0	2,548	2,553	3,874	3,506	5,702	2,278	1,846	6,178	32,703
North Dakota (ND)	0	0	1,517	0	1,823	1,599	1,666	1,725	1,768	1,838	1,911	1,981	2,121	17,949
Oklahoma (OK)	0	0	0	0	0	0	1,384	1,715	2,612	1,413	1,147	1,474	1,611	11,356
Rhode Island (RI)	0	0	0	1,528	0	1,392	1,814	2,362	2,210	3,213	3,961	2,453	3,462	22,395
South Carolina (SC)	5,815	4,282	5,527	5,539	4,597	0	0	1,309	1,241	1,108	1,493	1,606	1,358	33,875
South Dakota (SD)	1,376	1,348	1,192	1,604	1,674	1,614	1,829	1,590	1,611	2,170	1,543	1,320	1,313	20,184
Tennessee (TN)	0	3,234	0	0	0	0	1,940	1,540	2,069	2,220	2,635	1,904	4,138	19,680
Utah (UT)	4,579	4,420	3,291	1,388	1,509	1,071	1,451	1,549	1,976	1,598	1,729	2,195	0	26,756
Virginia (VA)	0	0	0	0	0	0	0	0	0	0	1,440	6,935	5,195	13,570
West Virginia (WV)	0	2,818	2,079	1,818	1,323	0	1,748	1,368	1,393	1,670	2,170	1,793	1,622	19,802
Wisconsin (WI)	0	3,314	0	1,325	1,336	2,120	2,121	2,389	2,094	2,434	3,043	2,843	0	23,019
Wyoming (WY)	0	0	1,687	2,081	1,619	2,770	1,552	2,500	2,244	2,902	2,519	3,015	2,424	25,313

2015 YRBS Combined Datasets User's Guide

Number of Records by State and Year of Survey														
Survey Site Name (Sitecode)		Year of Survey												
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013	2015	Total
Total	20,914	46,159	41,712	42,184	33,423	40,050	61,044	74,059	79,062	92,733	97,066	148,476	165,933	942,815

2015 YRBS Combined Datasets User's Guide

Number of Records by District and Year of Survey														
Survey Site Name (Sitecode)	Year of Survey													
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013	2015	Total
Borough of Bronx (NYG)	0	0	0	0	0	0	1,347	2,116	1,960	2,833	2,723	1,739	1,804	14,522
Borough of Brooklyn (NYH)	0	0	0	0	0	0	1,454	1,695	1,980	2,530	2,713	1,686	2,337	14,395
Borough of Manhattan (NYI)	0	0	0	0	0	0	1,594	1,899	1,936	2,647	2,524	1,928	1,461	13,989
Borough of Queens (NYJ)	0	0	0	0	0	0	1,526	1,143	1,573	2,311	1,893	1,929	1,603	11,978
Borough of Staten Island (NYK)	0	0	0	0	0	0	1,469	1,287	1,631	1,566	1,717	2,157	1,317	11,144
Broward County, FL (FT)	1,307	1,647	1,656	1,628	1,809	2,112	2,210	1,674	1,347	1,526	1,681	1,443	1,413	21,453
Charlotte-Mecklenburg County, NC (CM)	0	0	0	0	0	0	0	1,755	1,484	1,713	1,555	1,417	0	7,924
Chicago, IL (CH)	1,529	1,817	1,697	1,423	1,317	955	968	942	1,118	1,292	1,907	1,581	0	16,546
Dallas, TX (DA)	3,331	3,279	3,146	1,583	1,622	1,719	1,797	1,126	1,134	965	1,152	0	0	20,854
Duval County, FL (DU)	0	0	0	0	0	0	0	0	0	2,513	3,336	3,558	3,608	13,015
Miami-Dade County, FL (MM)	2,150	1,602	1,746	2,029	1,813	2,052	1,953	2,399	2,305	2,256	2,302	2,426	2,728	27,761
Milwaukee, WI (ML)	0	0	0	0	0	0	1,476	1,868	1,892	1,841	1,862	1,308	0	10,247
New York City, NY (NYC)	0	0	0	2,014	1,580	1,616	7,390	8,140	9,080	11,887	11,570	9,439	8,522	71,238
Orange County, FL (OL)	0	0	0	0	0	1,561	1,219	1,510	1,226	1,339	1,524	1,658	1,458	11,495
San Bernardino, CA (SB)	0	0	0	0	0	956	1,699	1,364	1,365	1,300	1,430	1,395	0	9,509
San Diego, CA (SA)	658	1,788	1,997	2,445	1,715	1,814	1,811	1,695	1,542	1,667	1,529	1,357	2,333	22,351
Seattle, WA (SE)	0	2,517	2,405	0	1,643	0	0	0	0	1,821	1,896	1,773	0	12,055
Total	8,975	12,650	12,647	11,122	11,499	12,785	27,913	30,613	31,573	42,007	43,314	36,794	28,584	310,476

Appendix B: Surveys that Included Sexual Minority Questions

Appendix B Appendix B shows which surveys in the Combined Datasets included one or the other of the sexual minority questions. An “x” indicates that the question was asked for a given survey and year.

Notes:

1. Other YRBS state and district surveys have included the sexual minority questions on their questionnaire but their data are not in the Combined Datasets because the sponsoring health or education agency that conducted the survey did not give CDC permission to include the data.
2. The sexual minority questions were not asked in the national survey YRBS until 2015.

National Surveys that Included Sexual Identity Question by Year of Survey										
Survey Site Name (Sitecode)	1999	2001	2003	2005	2007	2009	2011	2013	2015	Count
United States (XX)									x	1
Count	0	0	0	0	0	0	0	0	1	1

National Surveys that Included Sex of Sexual Contacts Question by Year of Survey										
Survey Site Name (Sitecode)	1999	2001	2003	2005	2007	2009	2011	2013	2015	Count
United States (XX)									x	0
Count	0	0	0	0	0	0	0	0	1	1

State Surveys that Included Sexual Identity Question by Year of Survey										
Survey Site Name (Sitecode)	1999	2001	2003	2005	2007	2009	2011	2013	2015	Count
Arizona (AZB)								x	x	2
Arkansas (AR)									x	1
California (CA)									x	1
Connecticut (CT)							x	x	x	3
Delaware (DE)			x	x	x	x	x	x	x	7
Florida (FL)								x	x	2
Illinois (IL)						x	x	x	x	4
Kentucky (KY)									x	1

2015 YRBS Combined Datasets User's Guide

State Surveys that Included Sexual Identity Question by Year of Survey										
Survey Site Name (Sitecode)	1999	2001	2003	2005	2007	2009	2011	2013	2015	Count
Maine (ME)					x	x	x	x	x	5
Maryland (MD)								x	x	2
Michigan (MI)								x	x	2
Nevada (NV)									x	1
New Hampshire (NH)								x		1
New Jersey (NJ)										0
New York (NY)									x	1
North Carolina (NC)								x	x	2
North Dakota (ND)						x	x	x	x	4
Oklahoma (OK)									x	1
Rhode Island (RI)					x	x	x	x	x	5
West Virginia (WV)									x	1
Wisconsin (WI)							x	x		2
Wyoming (WY)									x	1
State Count	0	0	1	1	3	5	7	13	19	49

States Surveys that Included Sex of Sexual Contacts Question by Year of Survey										
Survey Site Name (Sitecode)	1999	2001	2003	2005	2007	2009	2011	2013	2015	Count
Arizona (AZB)										0
Arkansas (AR)									x	1
California (CA)									x	1
Connecticut (CT)					x	x	x	x	x	5
Delaware (DE)			x	x	x	x	x	x	x	7
Florida (FL)							x	x	x	3
Illinois (IL)						x	x	x	x	4
Kentucky (KY)								x	x	2
Maine (ME)		x	x	x	x			x	x	6
Maryland (MD)									x	1
Michigan (MI)							x	x	x	3
Nevada (NV)									x	1
New Hampshire (NH)						x	x	x		3
New Jersey (NJ)								x		1
New York (NY)									x	1
North Carolina (NC)								x	x	2
North Dakota (ND)							x			1
Oklahoma (OK)									x	1
Rhode Island (RI)					x	x	x	x	x	5
West Virginia (WV)									x	1

2015 YRBS Combined Datasets User's Guide

States Surveys that Included Sex of Sexual Contacts Question by Year of Survey										
Survey Site Name (Sitecode)	1999	2001	2003	2005	2007	2009	2011	2013	2015	Count
Wisconsin (WI)					x	x	x	x		4
Wyoming (WY)									x	1
State Count	0	1	2	2	5	6	9	12	17	54

District Surveys that Included Sexual Identity Question by Year of Survey										
Survey Site Name	1999	2001	2003	2005	2007	2009	2011	2013	2015	Count
Borough of Bronx (NYG)				x	x	x	x	x	x	6
Borough of Brooklyn (NYH)				x	x	x	x	x	x	6
Borough of Manhattan (NYI)				x	x	x	x	x	x	6
Borough of Queens (NYJ)				x	x	x	x	x	x	6
Borough of Staten Island (NYK)				x	x	x	x	x	x	6
Broward County, FL (FT)								x	x	2
Charlotte-Mecklenburg County, SC (CM)								x		1
Chicago, IL (CH)			x	x	x	x	x	x		6
Duval County, FL (DU)								x	x	2
Miami-Dade County, FL (MM)								x	x	2
Milwaukee, WI (ML)							x	x		2
New York City, NY (NYC)				x	x	x	x	x	x	6
Orange County, FL (OL)								x	x	2
San Bernardino, CA (SB)		x								1
San Diego, CA (SA)							x	x	x	3
Seattle, WA (SE)	x					x	x	x		4
District Count	1	1	1	7	7	8	10	15	11	61

District Surveys that Included Sex of Sexual Contacts Question by Survey Year										
Survey Site Name	1999	2001	2003	2005	2007	2009	2011	2013	2015	Count
Borough of Bronx (NYG)				x	x	x	x	x	x	6
Borough of Brooklyn (NYH)				x	x	x	x	x	x	6
Borough of Manhattan (NYI)				x	x	x	x	x	x	6
Borough of Queens (NYJ)				x	x	x	x	x	x	6
Borough of Staten Island (NYK)				x	x	x	x	x	x	6
Broward County, FL								x	x	2
Chicago, IL			x	x	x	x	x	x		6
Duval County, FL									x	1
Miami-Dade County, FL (MM)									x	1
Milwaukee, WI (ML)					x	x	x	x		4

2015 YRBS Combined Datasets User's Guide

District Surveys that Included Sex of Sexual Contacts Question by Survey Year										
Survey Site Name	1999	2001	2003	2005	2007	2009	2011	2013	2015	Count
New York City				x	x	x	x	x	x	6
Orange County, FL								x	x	2
San Bernardino, CA										0
San Diego, CA	x	x	x	x			x	x	x	7
Seattle, WA							x	x		2
District Count	1	1	2	8	8	8	10	12	11	61

Appendix C: 2015 Questionnaire Variable Specifications

Appendix C Appendix C contains q and qn specifications for question 6 through question 89 of the 2015 standard YRBS questionnaire.

Q6.	How tall are you without your shoes on?
Variable label:	How tall are you
Dependence:	Required by QNOWT and QNOBESE
Q7.	How much do you weigh without your shoes on?
Variable label:	How much do you weigh
Dependence:	Required by QNOWT and QNOBESE
Q8.	<p>When you rode a bicycle during the past 12 months, how often did you wear a helmet?</p> <p>A. I did not ride a bicycle during the past 12 months</p> <p>B. Never wore a helmet</p> <p>C. Rarely wore a helmet</p> <p>D. Sometimes wore a helmet</p> <p>E. Most of the time wore a helmet</p> <p>F. Always wore a helmet</p> <p>Variable label: Bicycle helmet use</p> <p>Short response:</p> <p>A. Did not ride a bicycle</p> <p>B. Never wore a helmet</p> <p>C. Rarely wore a helmet</p> <p>D. Sometimes wore a helmet</p> <p>E. Most of the time wore a helmet</p> <p>F. Always wore a helmet</p>
QN8:	<p>Numerator: Students who answered B or C for Q8</p> <p>Denominator: Students who answered B, C, D, E, or F for Q8</p> <p>Summary text: Percentage of students who never or rarely wore a bicycle helmet (among students who had ridden a bicycle during the 12 months before the survey)</p> <p>Variable label: Rarely or never wore a bicycle helmet</p>
Q9.	<p>How often do you wear a seat belt when riding in a car driven by someone else?</p> <p>A. Never</p> <p>B. Rarely</p> <p>C. Sometimes</p> <p>D. Most of the time</p> <p>E. Always</p> <p>Variable label: Seat belt use</p>
QN9:	<p>Numerator: Students who answered A or B for Q9</p> <p>Denominator: Students who answered A, B, C, D, or E for Q9</p> <p>Summary text: Percentage of students who never or rarely wore a seat belt (when riding in a car driven by someone else)</p> <p>Variable label: Rarely or never wore a seat belt</p>

2015 YRBS Combined Datasets User's Guide

Q10.	<p>During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?</p> <p>A. 0 times B. 1 time C. 2 or 3 times D. 4 or 5 times E. 6 or more times</p> <p>Variable label: Riding with a drinking driver</p>
QN10:	<p>Numerator: Students who answered B, C, D, or E for Q10 Denominator: Students who answered A, B, C, D, or E for Q10 Summary text: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle one or more times during the 30 days before the survey) Variable label: Rode with a driver who had been drinking alcohol</p>
Q11.	<p>During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?</p> <p>A. I did not drive a car or other vehicle during the past 30 days B. 0 times C. 1 time D. 2 or 3 times E. 4 or 5 times F. 6 or more times</p> <p>Variable label: Drinking and driving</p> <p>Short response:</p> <p>A. Did not drive B. 0 times C. 1 time D. 2 or 3 times E. 4 or 5 times F. 6 or more times</p>
QN11:	<p>Numerator: Students who answered C, D, E, or F for Q11 Denominator: Students who answered B, C, D, E, or F for Q11 Summary text: Percentage of students who drove when drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey) Variable label: Drove when drinking alcohol</p>
Q12.	<p>During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?</p> <p>A. I did not drive a car or other vehicle during the past 30 days B. 0 days C. 1 or 2 days D. 3 to 5 days E. 6 to 9 days F. 10 to 19 days G. 20 to 29 days H. All 30 days</p> <p>Variable label: Texting and driving</p>
QN12:	<p>Numerator: Students who answered C, D, E, F, G, or H for Q12 Denominator: Students who answered B, C, D, E, F, G, or H for Q12 Summary text: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey) Variable label: Texted or e-mailed while driving a car or other vehicle</p>

2015 YRBS Combined Datasets User's Guide

Q13.	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?
A.	0 days
B.	1 day
C.	2 or 3 days
D.	4 or 5 days
E.	6 or more days
Variable label:	Weapon carrying
QN13:	Numerator: Students who answered B, C, D, or E for Q13
Denominator:	Students who answered A, B, C, D, or E for Q13
Summary text:	Percentage of students who carried a weapon (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)
Variable label:	Carried a weapon
Q14.	During the past 30 days, on how many days did you carry a gun ?
A.	0 days
B.	1 day
C.	2 or 3 days
D.	4 or 5 days
E.	6 or more days
Variable label:	Gun carrying
QN14:	Numerator: Students who answered B, C, D, or E for Q14
Denominator:	Students who answered A, B, C, D, or E for Q14
Summary text:	Percentage of students who carried a gun (on at least 1 day during the 30 days before the survey)
Variable label:	Carried a gun
Q15.	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property ?
A.	0 days
B.	1 day
C.	2 or 3 days
D.	4 or 5 days
E.	6 or more days
Variable label:	Weapon carrying at school
QN15:	Numerator: Students who answered B, C, D, or E for Q15
Denominator:	Students who answered A, B, C, D, or E for Q15
Summary text:	Percentage of students who carried a weapon on school property (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)
Variable label:	Carried a weapon on school property
Q16.	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?
A.	0 days
B.	1 day
C.	2 or 3 days
D.	4 or 5 days
E.	6 or more days
Variable label:	Safety concerns at school
QN16:	Numerator: Students who answered B, C, D, or E for Q16
Denominator:	Students who answered A, B, C, D, or E for Q16
Summary text:	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)
Variable label:	Did not go to school because they felt unsafe at school or on their way to or from school

2015 YRBS Combined Datasets User's Guide

Q17.	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property ?
A.	0 times
B.	1 time
C.	2 or 3 times
D.	4 or 5 times
E.	6 or 7 times
F.	8 or 9 times
G.	10 or 11 times
H.	12 or more times
Variable label:	Threatened at school
QN17:	Numerator: Students who answered B, C, D, E, F, G, or H for Q17 Denominator: Students who answered A, B, C, D, E, F, G, or H for Q17 Summary text: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club one or more times during the 12 months before the survey) Variable label: Were threatened or injured with a weapon on school property
Q18.	During the past 12 months, how many times were you in a physical fight?
A.	0 times
B.	1 time
C.	2 or 3 times
D.	4 or 5 times
E.	6 or 7 times
F.	8 or 9 times
G.	10 or 11 times
H.	12 or more times
Variable label:	Physical fighting
QN18:	Numerator: Students who answered B, C, D, E, F, G, or H for Q18 Denominator: Students who answered A, B, C, D, E, F, G, or H for Q18 Summary text: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey) Variable label: Were in a physical fight
Q19.	During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?
A.	0 times
B.	1 time
C.	2 or 3 times
D.	4 or 5 times
E.	6 or more times
Variable label:	Injurious physical fighting
QN19:	Numerator: Students who answered B, C, D, or E for Q19 Denominator: Students who answered A, B, C, D, or E for Q19 Summary text: Percentage of students who were injured in a physical fight (one or more times during the 12 months before the survey; injuries had to be treated by a doctor or nurse) Variable label: Were injured in a physical fight

2015 YRBS Combined Datasets User's Guide

Q20.	During the past 12 months, how many times were you in a physical fight on school property ?
A.	0 times
B.	1 time
C.	2 or 3 times
D.	4 or 5 times
E.	6 or 7 times
F.	8 or 9 times
G.	10 or 11 times
H.	12 or more times
Variable label:	Physical fighting at school
QN20:	Numerator: Students who answered B, C, D, E, F, G, or H for Q20 Denominator: Students who answered A, B, C, D, E, F, G, or H for Q20 Summary text: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey) Variable label: Were in a physical fight on school property
Q21.	Have you ever been physically forced to have sexual intercourse when you did not want to?
A.	Yes
B.	No
Variable label:	Forced sexual intercourse
QN21:	Numerator: Students who answered A for Q21 Denominator: Students who answered A or B for Q21 Summary text: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to) Variable label: Were ever physically forced to have sexual intercourse
Q22.	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)
A.	I did not date or go out with anyone during the past 12 months
B.	0 times
C.	1 time
D.	2 or 3 times
E.	4 or 5 times
F.	6 or more times
Variable label:	Physical dating violence
Short response:	A. Did not date B. 0 times C. 1 time D. 2 or 3 times E. 4 or 5 times F. 6 or more times
QN22:	Numerator: Students who answered C, D, E, or F for Q22 Denominator: Students who answered B, C, D, E, or F for Q22 Summary text: Percentage of students who experienced physical dating violence (one or more times during the 12 months before the survey, including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey) Variable label: Experienced physical dating violence

2015 YRBS Combined Datasets User's Guide

Q23.	<p>During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)</p> <p>A. I did not date or go out with anyone during the past 12 months</p> <p>B. 0 times</p> <p>C. 1 time</p> <p>D. 2 or 3 times</p> <p>E. 4 or 5 times</p> <p>F. 6 or more times</p>
	<p>Variable label: Sexual dating violence</p>
	<p>Short response:</p> <p>A. Did not date</p> <p>B. 0 times</p> <p>C. 1 time</p> <p>D. 2 or 3 times</p> <p>E. 4 or 5 times</p> <p>F. 6 or more times</p>
QN23:	<p>Numerator: Students who answered C, D, E, or F for Q23</p> <p>Denominator: Students who answered B, C, D, E, or F for Q23</p> <p>Summary text: Percentage of students who experienced sexual dating violence (one or more times during the 12 months before the survey, including kissing, touching, or being physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)</p> <p>Variable label: Experienced sexual dating violence</p>
Q24.	<p>During the past 12 months, have you ever been bullied on school property?</p> <p>A. Yes</p> <p>B. No</p> <p>Variable label: Bullying at school</p>
QN24:	<p>Numerator: Students who answered A for Q24</p> <p>Denominator: Students who answered A or B for Q24</p> <p>Summary text: Percentage of students who were bullied on school property (during the 12 months before the survey)</p> <p>Variable label: Were bullied on school property</p>
Q25.	<p>During the past 12 months, have you ever been electronically bullied? (Count being bullied through e-mail, chat rooms, instant messaging, websites, or texting.)</p> <p>A. Yes</p> <p>B. No</p> <p>Variable label: Electronic bullying</p>
QN25:	<p>Numerator: Students who answered A for Q25</p> <p>Denominator: Students who answered A or B for Q25</p> <p>Summary text: Percentage of students who were electronically bullied (including being bullied through e-mail, chat rooms, instant messaging, websites, or texting during the 12 months before the survey)</p> <p>Variable label: Were electronically bullied</p>

2015 YRBS Combined Datasets User's Guide

Q26.	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?
A.	Yes
B.	No
Variable label:	Sad or hopeless
QN26:	<p>Numerator: Students who answered A for Q26</p> <p>Denominator: Students who answered A or B for Q26</p> <p>Summary text: Percentage of students who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the 12 months before the survey)</p> <p>Variable label: Felt sad or hopeless</p>
Q27.	During the past 12 months, did you ever seriously consider attempting suicide?
A.	Yes
B.	No
Variable label:	Considered suicide
QN27:	<p>Numerator: Students who answered A for Q27</p> <p>Denominator: Students who answered A or B for Q27</p> <p>Summary text: Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)</p> <p>Variable label: Seriously considered attempting suicide</p>
Q28.	During the past 12 months, did you make a plan about how you would attempt suicide?
A.	Yes
B.	No
Variable label:	Made a suicide plan
QN28:	<p>Numerator: Students who answered A for Q28</p> <p>Denominator: Students who answered A or B for Q28</p> <p>Summary text: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)</p> <p>Variable label: Made a plan about how they would attempt suicide</p>
Q29.	During the past 12 months, how many times did you actually attempt suicide?
A.	0 times
B.	1 time
C.	2 or 3 times
D.	4 or 5 times
E.	6 or more times
Variable label:	Attempted suicide
QN29:	<p>Numerator: Students who answered B, C, D, or E for Q29</p> <p>Denominator: Students who answered A, B, C, D, or E for Q29</p> <p>Summary text: Percentage of students who attempted suicide (one or more times during the 12 months before the survey)</p> <p>Variable label: Attempted suicide</p>

2015 YRBS Combined Datasets User's Guide

Q30. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

- A. **I did not attempt suicide** during the past 12 months
- B. **Yes**
- C. **No**

Variable label: Injurious suicide attempt

QN30: Numerator: Students who answered B for Q30
Denominator: Students who answered A, B, or C for Q30
Summary text: Percentage of students who attempted suicide that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)

Variable label: Attempted suicide that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse

Q31. Have you ever tried cigarette smoking, even one or two puffs?

- A. **Yes**
- B. **No**

Variable label: Ever cigarette use

QN31: Numerator: Students who answered A for Q31
Denominator: Students who answered A or B for Q31
Summary text: Percentage of students who ever tried cigarette smoking (even one or two puffs)
Variable label: Ever tried cigarette smoking

Q32. How old were you when you smoked a whole cigarette for the first time?

- A. I have never smoked a whole cigarette
- B. **8 years old or younger**
- C. **9 or 10 years old**
- D. **11 or 12 years old**
- E. 13 or 14 years old
- F. 15 or 16 years old
- G. 17 years old or older

Variable label: Initiation of cigarette use

Short response:

- A. Never smoked a cigarette
- B. **8 years old or younger**
- C. **9 or 10 years old**
- D. **11 or 12 years old**
- E. 13 or 14 years old
- F. 15 or 16 years old
- G. 17 years old or older

QN32: Numerator: Students who answered B, C, or D for Q32
Denominator: Students who answered A, B, C, D, E, F, or G for Q32
Summary text: Percentage of students who smoked a whole cigarette before age 13 years (for the first time)
Variable label: Smoked a whole cigarette before age 13 years

2015 YRBS Combined Datasets User's Guide

Q33. During the past 30 days, on how many days did you smoke cigarettes?

- A. 0 days
- B. 1 or 2 days**
- C. 3 to 5 days**
- D. 6 to 9 days**
- E. 10 to 19 days**
- F. 20 to 29 days**
- G. All 30 days**

Variable label: Current cigarette use

QN33: Numerator: Students who answered B, C, D, E, F, or G for Q33
Denominator: Students who answered A, B, C, D, E, F, or G for Q33
Summary text: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
Variable label: Currently smoked cigarettes
Dependence: Required by QN34. QN35, QN36, QNFRCIG, QNDAYCIG, QNCIGINT, QNTOB2, QNTOB3, QNTOB4, QNNOTOB2, QNNOTOB3, and QNNOTOB4

Q34. During the past 30 days, on the days you smoked, how many cigarettes did you smoke **per day**?

- A. I did not smoke cigarettes during the past 30 days
- B. Less than 1 cigarette per day
- C. 1 cigarette per day
- D. 2 to 5 cigarettes per day
- E. 6 to 10 cigarettes per day
- F. 11 to 20 cigarettes per day**
- G. More than 20 cigarettes per day**

Variable label: Smoked > 10 cigarettes

Short response:

- A. Did not smoke cigarettes
- B. Less than 1 cigarette
- C. 1 cigarette
- D. 2 to 5 cigarettes
- E. 6 to 10 cigarettes
- F. 11 to 20 cigarettes**
- G. More than 20 cigarettes**

QN34: Numerator: Students who answered F or G for Q34
Denominator: Students who answered B, C, D, E, F, or G for Q33 and answered B, C, D, E, F, or G for Q34
Summary text: Percentage of students who smoked more than 10 cigarettes per day (during the 30 days before the survey among students who currently smoked cigarettes on the days they smoked)
Variable label: Smoked more than 10 cigarettes per day
Dependence: Depends on Q33

2015 YRBS Combined Datasets User's Guide

Q35.	<p>During the past 30 days, how did you usually get your own cigarettes? (Select only one response.)</p> <p>A. I did not smoke cigarettes during the past 30 days</p> <p>B. I bought them in a store such as a convenience store, supermarket, discount store, or gas station</p> <p>C. I got them on the Internet</p> <p>D. I gave someone else money to buy them for me</p> <p>E. I borrowed (or bummed) them from someone else</p> <p>F. A person 18 years old or older gave them to me</p> <p>G. I took them from a store or family member</p> <p>H. I got them some other way</p>
	<p>Variable label: Cigarettes from store</p>
	<p>Short response:</p> <p>A. Did not smoke cigarettes</p> <p>B. Store or gas station</p> <p>C. I got them on the Internet</p> <p>D. Someone else bought them</p> <p>E. Borrowed/bummed them</p> <p>F. A person 18 or older gave me</p> <p>G. Took them from a store/family</p> <p>H. Some other way</p>
QN35:	<p>Numerator: Students who answered B for Q35</p> <p>Denominator: Students who answered A, B, C, D, E, or F for Q1 and answered B, C, D, E, F, or G for Q33 and answered B, C, D, E, F, G, or H for Q35</p> <p>Summary text: Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years)</p> <p>Variable label: Usually obtained their own cigarettes by buying them in a store or gas station</p> <p>Dependence: Depends on Q1 and Q33 Required by: QNCIGINT</p>
Q36.	<p>During the past 12 months, did you ever try to quit smoking cigarettes?</p> <p>A. I did not smoke during the past 12 months</p> <p>B. Yes</p> <p>C. No</p>
	<p>Variable label: Smoking cessation</p>
	<p>Short response:</p> <p>A. Did not smoke in past 12 mos</p> <p>B. Yes</p> <p>C. No</p>
QN36:	<p>Numerator: Students who answered B for Q36</p> <p>Denominator: Students who answered B, C, D, E, F, or G for Q33 and answered B or C for Q36</p> <p>Summary text: Percentage of students who tried to quit smoking cigarettes (among students who currently smoked cigarettes during the 12 months before the survey)</p> <p>Variable label: Tried to quit smoking cigarettes</p> <p>Dependence: Depends on Q33</p>

2015 YRBS Combined Datasets User's Guide

Q37.	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip , such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?
A.	0 days
B.	1 or 2 days
C.	3 to 5 days
D.	6 to 9 days
E.	10 to 19 days
F.	20 to 29 days
G.	All 30 days
Variable label:	Current smokeless tobacco use
QN37:	Numerator: Students who answered B, C, D, E, F, or G for Q37 Denominator: Students who answered A, B, C, D, E, F, or G for Q37 Summary text: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least 1 day during the 30 days before the survey) Variable label: Currently used smokeless tobacco Dependence: Required by: QNTOB3, QNTOB4, QNNOTOB3, and QNNOTOB4
Q38.	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars ?
A.	0 days
B.	1 or 2 days
C.	3 to 5 days
D.	6 to 9 days
E.	10 to 19 days
F.	20 to 29 days
G.	All 30 days
Variable label:	Current cigar use
QN38	Numerator: Students who answered B, C, D, E, F, or G for Q38 Denominator: Students who answered A, B, C, D, E, F, or G for Q38 Summary text: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least 1 day during the 30 days before the survey) Variable label: Currently smoked cigars Dependence: Required by QNTOB2, QNTOB3, QNTOB4, QNNOTOB2, QNNOTTOB3, and QNNOTTOB4
Q39.	Have you ever used an electronic vapor product?
A.	Yes
B.	No
Variable label:	Electronic vapor product use
QN39:	Numerator: Students who answered A for Q39 Denominator: Students who answered A or B for Q39 Summary text: Percentage of students who ever used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz) Variable label: Ever used electronic vapor products

2015 YRBS Combined Datasets User's Guide

Q40.	During the past 30 days, on how many days did you use an electronic vapor product?
A.	0 days
B.	1 or 2 days
C.	3 to 5 days
D.	6 to 9 days
E.	10 to 19 days
F.	20 to 29 days
G.	All 30 days
Variable label:	Current electronic vapor use
QN40:	<p>Numerator: Students who answered B, C, D, E, F, or G for Q40</p> <p>Denominator: Students who answered A, B, C, D, E, F, or G for Q40</p> <p>Summary text: Percentage of students who currently used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz on at least 1 day during the 30 days before the survey)</p> <p>Variable label: Currently used electronic vapor products</p> <p>Dependence: Required by QNTOB4 and QNNOTOB4</p>
Q41.	During your life, on how many days have you had at least one drink of alcohol?
A.	0 days
B.	1 or 2 days
C.	3 to 9 days
D.	10 to 19 days
E.	20 to 39 days
F.	40 to 99 days
G.	100 or more days
Variable label:	Ever alcohol use
QN41:	<p>Numerator: Students who answered B, C, D, E, F, or G for Q41</p> <p>Denominator: Students who answered A, B, C, D, E, F, or G for Q41</p> <p>Summary text: Percentage of students who ever drank alcohol (at least one drink of alcohol on at least 1 day during their life)</p> <p>Variable label: Ever drank alcohol</p>
Q42.	How old were you when you had your first drink of alcohol other than a few sips?
A.	I have never had a drink of alcohol other than a few sips
B.	8 years old or younger
C.	9 or 10 years old
D.	11 or 12 years old
E.	13 or 14 years old
F.	15 or 16 years old
G.	17 years old or older
Variable label:	Initiation of alcohol use
Short response:	<p>A. Never drank alcohol</p> <p>B. 8 years old or younger</p> <p>C. 9 or 10 years old</p> <p>D. 11 or 12 years old</p> <p>E. 13 or 14 years old</p> <p>F. 15 or 16 years old</p> <p>G. 17 years old or older</p>
QN42:	<p>Numerator: Students who answered B, C, or D for Q42</p> <p>Denominator: Students who answered A, B, C, D, E, F, or G for Q42</p> <p>Summary text: Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)</p> <p>Variable label: Drank alcohol before age 13 years</p>

2015 YRBS Combined Datasets User's Guide

Q43. During the past 30 days, on how many days did you have at least one drink of alcohol?

- A. 0 days
- B. 1 or 2 days**
- C. 3 to 5 days**
- D. 6 to 9 days**
- E. 10 to 19 days**
- F. 20 to 29 days**
- G. All 30 days**

Variable label: Current alcohol use

QN43: Numerator: Students who answered B, C, D, E, F, or G for Q43
Denominator: Students who answered A, B, C, D, E, F, or G for Q43
Summary text: Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
Variable label: Currently drank alcohol
Dependence: Required by QN46

Q44. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?

- A. 0 days
- B. 1 day**
- C. 2 days**
- D. 3 to 5 days**
- E. 6 to 9 days**
- F. 10 to 19 days**
- G. 20 or more days**

Variable label: 5 or more drinks in a row

QN44: Numerator: Students who answered B, C, D, E, F, or G for Q44
Denominator: Students who answered A, B, C, D, E, F, or G for Q44
Summary text: Percentage of students who drank five or more drinks of alcohol in a row (within a couple of hours on at least 1 day during the 30 days before the survey)
Variable label: Drank five or more drinks of alcohol in a row

2015 YRBS Combined Datasets User's Guide

- Q45.** During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?
- A. I did not drink alcohol during the past 30 days
 - B. 1 or 2 drinks
 - C. 3 drinks
 - D. 4 drinks
 - E. 5 drinks
 - F. 6 or 7 drinks
 - G. 8 or 9 drinks
 - H. 10 or more drinks**

Variable label: Largest number of drinks

Short response:

- A. Did not drink alcohol in past 30 days
- B. 1 or 2 drinks
- C. 3 drinks
- D. 4 drinks
- E. 5 drinks
- F. 6 or 7 drinks
- G. 8 or 9 drinks
- H. 10 or more drinks**

QN45: Numerator: Students who answered H for Q45
Denominator: Students who answered A, B, C, D, E, F, G, or H for Q45
Summary text: Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours during the 30 days before the survey)
Variable label: Reported that the largest number of drinks they had in a row was 10 or more

- Q46.** During the past 30 days, how did you **usually** get the alcohol you drank?
- A. I did not drink alcohol during the past 30 days
 - B. I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station
 - C. I bought it at a restaurant, bar, or club
 - D. I bought it at a public event such as a concert or sporting event
 - E. I gave someone else money to buy it for me
 - F. Someone gave it to me**
 - G. I took it from a store or family member
 - H. I got it some other way

Variable label: Source of alcohol

Short response:

- A. Did not drink in past 30 days
- B. Bought in store
- C. Bought in restaurant
- D. Bought at public event
- E. I gave someone money to buy
- F. Someone gave it to me**
- G. Took from a store/family
- H. Some other way

QN46: Numerator: Students who answered F for Q46
Denominator: Students who answered B, C, D, E, F, or G for Q43 and answered B, C, D, E, F, G, or H for Q46
Summary text: Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)
Variable label: Usually obtained the alcohol they drank by someone giving it to them
Dependence: Depends on Q43

2015 YRBS Combined Datasets User's Guide

Q47. During your life, how many times have you used marijuana?

- A. 0 times
- B. 1 or 2 times**
- C. 3 to 9 times**
- D. 10 to 19 times**
- E. 20 to 39 times**
- F. 40 to 99 times**
- G. 100 or more times**

Variable label: Ever marijuana use

QN47: Numerator: Students who answered B, C, D, E, F, or G for Q47
Denominator: Students who answered A, B, C, D, E, F, or G for Q47
Summary text: Percentage of students who ever used marijuana (one or more times during their life)
Variable label: Ever used marijuana

Q48. How old were you when you tried marijuana for the first time?

- A. I have never tried marijuana
- B. 8 years old or younger**
- C. 9 or 10 years old**
- D. 11 or 12 years old**
- E. 13 or 14 years old
- F. 15 or 16 years old
- G. 17 years old or older

Variable label: Initiation of marijuana use

Short response:

- A. Never tried marijuana
- B. 8 years old or younger**
- C. 9 or 10 years old**
- D. 11 or 12 years old**
- E. 13 or 14 years old
- F. 15 or 16 years old
- G. 17 years old or older

QN48: Numerator: Students who answered B, C, or D for Q48
Denominator: Students who answered A, B, C, D, E, F, or G for Q48
Summary text: Percentage of students who tried marijuana before age 13 years (for the first time)
Variable label: Tried marijuana before age 13 years

Q49. During the past 30 days, how many times did you use marijuana?

- A. 0 times
- B. 1 or 2 times**
- C. 3 to 9 times**
- D. 10 to 19 times**
- E. 20 to 39 times**
- F. 40 or more times**

Variable label: Current marijuana use

QN49: Numerator: Students who answered B, C, D, E, or F for Q49
Denominator: Students who answered A, B, C, D, E, or F for Q49
Summary text: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
Variable label: Currently used marijuana

2015 YRBS Combined Datasets User's Guide

Q50.	<p>During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?</p> <p>A. 0 times B. 1 or 2 times C. 3 to 9 times D. 10 to 19 times E. 20 to 39 times F. 40 or more times</p> <p>Variable label: Ever cocaine use</p>
QN50:	<p>Numerator: Students who answered B, C, D, E, or F for Q50 Denominator: Students who answered A, B, C, D, E, or F for Q50 Summary text: Percentage of students who ever used cocaine (any form of cocaine, such as powder, crack, or freebase, one or more times during their life) Variable label: Ever used cocaine</p>
Q51.	<p>During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?</p> <p>A. 0 times B. 1 or 2 times C. 3 to 9 times D. 10 to 19 times E. 20 to 39 times F. 40 or more times</p> <p>Variable label: Ever inhalant use</p>
QN51:	<p>Numerator: Students who answered B, C, D, E, or F for Q51 Denominator: Students who answered A, B, C, D, E, or F for Q51 Summary text: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life) Variable label: Ever used inhalants</p>
Q52.	<p>During your life, how many times have you used heroin (also called smack, junk, or China White)?</p> <p>A. 0 times B. 1 or 2 times C. 3 to 9 times D. 10 to 19 times E. 20 to 39 times F. 40 or more times</p> <p>Variable label: Ever heroin use</p>
QN52:	<p>Numerator: Students who answered B, C, D, E, or F for Q52 Denominator: Students who answered A, B, C, D, E, or F for Q52 Summary text: Percentage of students who ever used heroin (also called "smack," "junk," or "China white," one or more times during their life) Variable label: Ever used heroin</p>

2015 YRBS Combined Datasets User's Guide

Q53.	<p>During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?</p> <p>A. 0 times</p> <p>B. 1 or 2 times</p> <p>C. 3 to 9 times</p> <p>D. 10 to 19 times</p> <p>E. 20 to 39 times</p> <p>F. 40 or more times</p> <p>Variable label: Even used methamphetamines</p>
QN53:	<p>Numerator: Students who answered B, C, D, E, or F for Q53</p> <p>Denominator: Students who answered A, B, C, D, E, or F for Q53</p> <p>Summary text: Percentage of students who ever used methamphetamines (also called "speed," "crystal," "crank," or "ice," one or more times during their life)</p> <p>Variable label: Ever used methamphetamines</p>
Q54.	<p>During your life, how many times have you used ecstasy (also called MDMA)?</p> <p>A. 0 times</p> <p>B. 1 or 2 times</p> <p>C. 3 to 9 times</p> <p>D. 10 to 19 times</p> <p>E. 20 to 39 times</p> <p>F. 40 or more times</p> <p>Variable label: Ever ecstasy use</p>
QN54:	<p>Numerator: Students who answered B, C, D, E, or F for Q54</p> <p>Denominator: Students who answered A, B, C, D, E, or F for Q54</p> <p>Summary text: Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life)</p> <p>Variable label: Ever used ecstasy</p>
Q55.	<p>During your life, how many times have you used synthetic marijuana (also called K2, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?</p> <p>A. 0 times</p> <p>B. 1 or 2 times</p> <p>C. 3 to 9 times</p> <p>D. 10 to 19 times</p> <p>E. 20 to 39 times</p> <p>F. 40 or more times</p> <p>Variable label: Ever synthetic marijuana use</p>
QN55:	<p>Numerator: Students who answered B, C, D, E, or F for Q55</p> <p>Denominator: Students who answered A, B, C, D, E, or F for Q55</p> <p>Summary text: Percentage of students who ever used synthetic marijuana (also called "K2", "Spice", "fake weed", "King Kong", "Yucatan Fire", "Skunk", or "Moon Rocks", one or more times during their life)</p> <p>Variable label: Ever used synthetic marijuana</p>

2015 YRBS Combined Datasets User's Guide

Q56.	During your life, how many times have you taken steroid pills or shots without a doctor's prescription?
A.	0 times
B.	1 or 2 times
C.	3 to 9 times
D.	10 to 19 times
E.	20 to 39 times
F.	40 or more times
Variable label:	Ever steroid use
QN56:	Numerator: Students who answered B, C, D, E, or F for Q56 Denominator: Students who answered A, B, C, D, E, or F for Q56 Summary text: Percentage of students who ever took steroids without a doctor's prescription (pills or shots, one or more times during their life) Variable label: Ever took steroids without a doctor's prescription
Q57.	During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?
A.	0 times
B.	1 or 2 times
C.	3 to 9 times
D.	10 to 19 times
E.	20 to 39 times
F.	40 or more times
Variable label:	Ever prescription drug use
QN57:	Numerator: Students who answered B, C, D, E, or F for Q57 Denominator: Students who answered A, B, C, D, E, or F for Q57 Summary text: Percentage of students who ever took prescription drugs without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during their life) Variable label: Ever took prescription drugs without a doctor's prescription
Q58.	During your life, how many times have you used a needle to inject any illegal drug into your body?
A.	0 times
B.	1 time
C.	2 or more times
Variable label:	Illegal injected drug use
QN58:	Numerator: Students who answered B or C for Q58 Denominator: Students who answered A, B, or C for Q58 Summary text: Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body one or more times during their life) Variable label: Ever injected any illegal drug
Q59.	During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property ?
A.	Yes
B.	No
Variable label:	Illegal drugs at school
QN59:	Numerator: Students who answered A for Q59 Denominator: Students who answered A or B for Q59 Summary text: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey) Variable label: Were offered, sold, or given an illegal drug on school property

2015 YRBS Combined Datasets User's Guide

Q60. Have you ever had sexual intercourse?

- A.** Yes
- B.** No

Variable label: Ever sexual intercourse

QN60: Numerator: Students who answered A for Q60
Denominator: Students who answered A or B for Q60
Summary text: Percentage of students who ever had sexual intercourse
Variable label: Ever had sexual intercourse

Q61. How old were you when you had sexual intercourse for the first time?

- A.** I have never had sexual intercourse
- B.** 11 years old or younger
- C.** 12 years old
- D. 13 years old
- E. 14 years old
- F. 15 years old
- G. 16 years old
- H. 17 years old or older

Variable label: Sex before 13 years

Short response:

- A.** Never had sex
- B.** 11 years old or younger
- C.** 12 years old
- D. 13 years old
- E. 14 years old
- F. 15 years old
- G. 16 years old
- H. 17 years old or older

QN61: Numerator: Students who answered B or C for Q61
Denominator: Students who answered A, B, C, D, E, F, G, or H for Q61
Summary text: Percentage of students who had sexual intercourse before age 13 years (for the first time)
Variable label: Had sexual intercourse before age 13 years

2015 YRBS Combined Datasets User's Guide

Q62. During your life, with how many people have you had sexual intercourse?

- A. I have never had sexual intercourse
- B. 1 person
- C. 2 people
- D. 3 people
- E. 4 people**
- F. 5 people**
- G. 6 or more people**

Variable label: Multiple sex partners

Short response:

- A. Never had sex
- B. 1 person
- C. 2 people
- D. 3 people
- E. 4 people**
- F. 5 people**
- G. 6 or more people**

QN62: Numerator: Students who answered E, F, or G for Q62
Denominator: Students who answered A, B, C, D, E, F, or G for Q62
Summary text: Percentage of students who had sexual intercourse with four or more persons (during their life)
Variable label: Had sexual intercourse with four or more persons

Q63. During the past 3 months, with how many people did you have sexual intercourse?

- A. I have never had sexual intercourse
- B. I have had sexual intercourse, but not during the past 3 months
- C. 1 person**
- D. 2 people**
- E. 3 people**
- F. 4 people**
- G. 5 people**
- H. 6 or more people**

Variable label: Current sexual activity

Short response:

- A. Never had sex
- B. None during past 3 months
- C. 1 person**
- D. 2 people**
- E. 3 people**
- F. 4 people**
- G. 5 people**
- H. 6 or more people**

QN63: Numerator: Students who answered C, D, E, F, G, or H for Q63
Denominator: Students who answered A, B, C, D, E, F, G, or H for Q63
Summary text: Percentage of students who were currently sexually active (sexual intercourse with at least one person during the 3 months before the survey)
Variable label: Were currently sexually active
Dependence: Required by QN64, QN65, QN66, QNIUDIMP, QNSHPARG, QNOTHHPL, QNDUALBC, and QNBCNONE

2015 YRBS Combined Datasets User's Guide

Q64.	Did you drink alcohol or use drugs before you had sexual intercourse the last time ?
A.	I have never had sexual intercourse
B.	Yes
C.	No
	Variable label: Alcohol/drugs and sex
	Short response:
A.	Never had sex
B.	Yes
C.	No
QN64:	Numerator: Students who answered B for Q64
	Denominator: Students who answered C, D, E, F, G, or H for Q63 and answered B or C for Q64
	Summary text: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)
	Variable label: Drank alcohol or used drugs before last sexual intercourse
	Dependence: Depends on Q63
Q65.	The last time you had sexual intercourse, did you or your partner use a condom?
A.	I have never had sexual intercourse
B.	Yes
C.	No
	Variable label: Condom use
	Short response:
A.	Never had sex
B.	Yes
C.	No
QN65:	Numerator: Students who answered B for Q65
	Denominator: Students who answered C, D, E, F, G, or H for Q63 and answered B or C for Q65
	Summary text: Percentage of students who used a condom (during last sexual intercourse among students who were currently sexually active)
	Variable label: Used a condom
	Dependence: Depends on Q63 Required by QNDUALBC

2015 YRBS Combined Datasets User's Guide

Q66. The **last time** you had sexual intercourse, what **one** method did you or your partner use to **prevent pregnancy**? (Select only **one** response.)

- A. I have never had sexual intercourse
- B. No method was used to prevent pregnancy
- C. Birth control pills**
- D. Condoms
- E. An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)
- F. A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)
- G. Withdrawal or some other method
- H. Not sure

Variable label: Birth control pill use

Short response:

- A. Never had sex
- B. No method was used
- C. Birth control pills**
- D. Condoms
- E. IUD or implant
- F. A shot, patch, or birth control ring
- G. Withdrawal/some other method
- H. Not sure

QN66: Numerator: Students who answered C for Q66
 Denominator: Students who answered C, D, E, F, G, or H for Q63 and answered B, C, D, E, F, G, H for Q66
 Summary text: Percentage of students who used birth control pills (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)
 Variable label: Used birth control pills
 Dependence: Depends on Q63
 Required by QNIUDIMP, QNSHPARG, QNOTHHPL, QNDUALBC, and QNBCNONE

Q69. How do **you** describe your weight?

- A. Very underweight
- B. Slightly underweight
- C. About the right weight
- D. Slightly overweight**
- E. Very overweight**

Variable label: Perception of weight

QN69: Numerator: Students who answered D or E for Q69
 Denominator: Students who answered A, B, C, D, or E for Q69
 Summary text: Percentage of students who described themselves as slightly or very overweight
 Variable label: Described themselves as slightly or very overweight

2015 YRBS Combined Datasets User's Guide

Q70. Which of the following are you trying to do about your weight?

- A. **Lose weight**
- B. **Gain weight**
- C. **Stay the same weight**
- D. I am **not trying to do anything** about my weight

Variable label: Weight loss

Short response:

- A. **Lose weight**
- B. **Gain weight**
- C. **Stay the same weight**
- D. Not trying to do anything

QN70: Numerator: Students who answered A for Q70
Denominator: Students who answered A, B, C, or D for Q70
Summary text: Percentage of students who were trying to lose weight
Variable label: Were trying to lose weight

Q71. During the past 7 days, how many times did you drink **100% fruit juices** such as orange juice, apple juice, or grape juice? (Do **not** count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)

- A. **I did not drink 100% fruit juice during the past 7 days**
- B. 1 to 3 times during the past 7 days
- C. 4 to 6 times during the past 7 days
- D. 1 time per day
- E. 2 times per day
- F. 3 times per day
- G. 4 or more times per day

Variable label: Fruit juice drinking

Short response:

- A. **Did not drink fruit juice**
- B. 1 to 3 times
- C. 4 to 6 times
- D. 1 time per day
- E. 2 times per day
- F. 3 times per day
- G. 4 or more times per day

QN71: Numerator: Students who answered A for Q71
Denominator: Students who answered A, B, C, D, E, F, or G for Q71
Summary text: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)
Variable label: Did not drink fruit juice
Dependence: Required by QNFR0, QNFR1, QNFR2, and QNFR3

2015 YRBS Combined Datasets User's Guide

Q72. During the past 7 days, how many times did you eat **fruit**? (Do **not** count fruit juice.)

- A. I did not eat fruit during the past 7 days**
- B. 1 to 3 times during the past 7 days
- C. 4 to 6 times during the past 7 days
- D. 1 time per day
- E. 2 times per day
- F. 3 times per day
- G. 4 or more times per day

Variable label: Fruit eating

Short response:

- A. Did not eat fruit**
- B. 1 to 3 times
- C. 4 to 6 times
- D. 1 time per day
- E. 2 times per day
- F. 3 times per day
- G. 4 or more times per day

QN72: Numerator: Students who answered A for Q72
Denominator: Students who answered A, B, C, D, E, F, or G for Q72
Summary text: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)
Variable label: Did not eat fruit
Dependence: Required by QNFR0, QNFR1, QNFR2, and QNFR3

Q73. During the past 7 days, how many times did you eat **green salad**?

- A. I did not eat green salad during the past 7 days**
- B. 1 to 3 times during the past 7 days
- C. 4 to 6 times during the past 7 days
- D. 1 time per day
- E. 2 times per day
- F. 3 times per day
- G. 4 or more times per day

Variable label: Salad eating

Short response:

- A. Did not eat green salad**
- B. 1 to 3 times
- C. 4 to 6 times
- D. 1 time per day
- E. 2 times per day
- F. 3 times per day
- G. 4 or more times per day

QN73: Numerator: Students who answered A for Q73
Denominator: Students who answered A, B, C, D, E, F, or G for Q73
Summary text: Percentage of students who did not eat salad (during the 7 days before the survey)
Variable label: Did not eat salad
Dependence: Required by QNVEG0, QNVEG1, QNVEG2, and QNVEG3

2015 YRBS Combined Datasets User's Guide

Q74. During the past 7 days, how many times did you eat **potatoes**? (Do **not** count french fries, fried potatoes, or potato chips.)

- A. I did not eat potatoes during the past 7 days**
- B. 1 to 3 times during the past 7 days
- C. 4 to 6 times during the past 7 days
- D. 1 time per day
- E. 2 times per day
- F. 3 times per day
- G. 4 or more times per day

Variable label: Potato eating

Short response:

- A. Did not eat potatoes**
- B. 1 to 3 times
- C. 4 to 6 times
- D. 1 time per day
- E. 2 times per day
- F. 3 times per day
- G. 4 or more times per day

QN74: Numerator: Students who answered A for Q74
Denominator: Students who answered A, B, C, D, E, F, or G for Q74
Summary text: Percentage of students who did not eat potatoes (during the 7 days before the survey)
Variable label: Did not eat potatoes
Dependence: Required by QNVEG0, QNVEG1, QNVEG2, and QNVEG3

Q75. During the past 7 days, how many times did you eat **carrots**?

- A. I did not eat carrots during the past 7 days**
- B. 1 to 3 times during the past 7 days
- C. 4 to 6 times during the past 7 days
- D. 1 time per day
- E. 2 times per day
- F. 3 times per day
- G. 4 or more times per day

Variable label: Carrot eating

Short response:

- A. Did not eat carrots**
- B. 1 to 3 times
- C. 4 to 6 times
- D. 1 time per day
- E. 2 times per day
- F. 3 times per day
- G. 4 or more times per day

QN75: Numerator: Students who answered A for Q75
Denominator: Students who answered A, B, C, D, E, F, or G for Q75
Summary text: Percentage of students who did not eat carrots (during the 7 days before the survey)
Variable label: Did not eat carrots
Dependence: Required by QNVEG0, QNVEG1, QNVEG2, and QNVEG3

2015 YRBS Combined Datasets User's Guide

Q76. During the past 7 days, how many times did you eat **other vegetables**? (Do **not** count green salad, potatoes, or carrots.)

- A. I did not eat other vegetables during the past 7 days**
- B. 1 to 3 times during the past 7 days
- C. 4 to 6 times during the past 7 days
- D. 1 time per day
- E. 2 times per day
- F. 3 times per day
- G. 4 or more times per day

Variable label: Other vegetable eating

Short response:

- A. Did not eat other vegetables**
- B. 1 to 3 times
- C. 4 to 6 times
- D. 1 time per day
- E. 2 times per day
- F. 3 times per day
- G. 4 or more times per day

QN76: Numerator: Students who answered A for Q76
Denominator: Students who answered A, B, C, D, E, F, or G for Q76
Summary text: Percentage of students who did not eat other vegetables (during the 7 days before the survey)
Variable label: Did not eat other vegetables
Dependence: Required by QNVEG0, QNVEG1, QNVEG2, and QNVEG3

Q77. During the past 7 days, how many times did you drink a **can, bottle, or glass of soda or pop**, such as Coke, Pepsi, or Sprite? (Do **not** count diet soda or diet pop.)

- A. I did not drink soda or pop during the past 7 days**
- B. 1 to 3 times during the past 7 days
- C. 4 to 6 times during the past 7 days
- D. 1 time per day
- E. 2 times per day
- F. 3 times per day
- G. 4 or more times per day

Variable label: No soda drinking

Short response:

- A. Did not drink soda or pop**
- B. 1 to 3 times
- C. 4 to 6 times
- D. 1 time per day
- E. 2 times per day
- F. 3 times per day
- G. 4 or more times per day

QN77: Numerator: Students who answered A for Q77
Denominator: Students who answered A, B, C, D, E, F, or G for Q77
Summary text: Percentage of students who did not drink a can, bottle, or glass of soda or pop (not including diet soda or diet pop, during the 7 days before the survey)
Variable label: Did not drink a can, bottle, or glass of soda or pop
Dependence: Required by QNSODA1, QNSODA2, and QNSODA3

2015 YRBS Combined Datasets User's Guide

Q78. During the past 7 days, how many **glasses of milk** did you drink? (Count the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint of milk served at school as equal to one glass.)

A. I did not drink milk during the past 7 days

B. 1 to 3 glasses during the past 7 days

C. 4 to 6 glasses during the past 7 days

D. 1 glass per day

E. 2 glasses per day

F. 3 glasses per day

G. 4 or more glasses per day

Variable label: No milk drinking

Short response:

A. Did not drink milk

B. 1 to 3 glasses

C. 4 to 6 glasses

D. 1 glass per day

E. 2 glasses per day

F. 3 glasses per day

G. 4 or more glasses per day

QN78: Numerator: Students who answered A for Q78

Denominator: Students who answered A, B, C, D, E, F, or G for Q78

Summary text: Percentage of students who did not drink milk (during the 7 days before the survey)

Variable label: Did not drink milk

Dependence: Required by QNMILK1, QNMILK2, and QNMILK3

Q79. During the past 7 days, on how many days did you eat **breakfast**?

A. 0 days

B. 1 day

C. 2 days

D. 3 days

E. 4 days

F. 5 days

G. 6 days

H. 7 days

Variable label: Breakfast eating

QN79: Numerator: Students who answered A for Q79

Denominator: Students who answered A, B, C, D, E, F, G, or H for Q79

Summary text: Percentage of students who did not eat breakfast (during the 7 days before the survey)

Variable label: Did not eat breakfast

Dependence: Required by QNBK7DAY

2015 YRBS Combined Datasets User's Guide

Q80.	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day ? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)
A.	0 days
B.	1 day
C.	2 days
D.	3 days
E.	4 days
F.	5 days
G.	6 days
H.	7 days
Variable label:	Physical activity >= 5 days
QN80:	<p>Numerator: Students who answered F, G, or H for Q80</p> <p>Denominator: Students who answered A, B, C, D, E, F, G, or H for Q80</p> <p>Summary text: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)</p> <p>Variable label: Were physically active at least 60 minutes per day on 5 or more days</p> <p>Dependence: Required by QNPA0DAY and QNPA7DAY</p>
Q81.	On an average school day, how many hours do you watch TV?
A.	I do not watch TV on an average school day
B.	Less than 1 hour per day
C.	1 hour per day
D.	2 hours per day
E.	3 hours per day
F.	4 hours per day
G.	5 or more hours per day
Variable label:	Television watching
Short response:	<p>A. No TV on average school day</p> <p>B. Less than 1 hour per day</p> <p>C. 1 hour per day</p> <p>D. 2 hours per day</p> <p>E. 3 hours per day</p> <p>F. 4 hours per day</p> <p>G. 5 or more hours per day</p>
QN81:	<p>Numerator: Students who answered E, F, or G for Q81</p> <p>Denominator: Students who answered A, B, C, D, E, F, or G for Q81</p> <p>Summary text: Percentage of students who watched television 3 or more hours per day (on an average school day)</p> <p>Variable label: Watched television 3 or more hours per day</p>

2015 YRBS Combined Datasets User's Guide

Q82.	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Count time spent on things such as Xbox, PlayStation, an iPod, an iPad or other tablet, a smartphone, YouTube, Facebook or other social networking tools, and the Internet.)
A.	I do not play video or computer games or use a computer for something that is not school work
B.	Less than 1 hour per day
C.	1 hour per day
D.	2 hours per day
E.	3 hours per day
F.	4 hours per day
G.	5 or more hours per day
Variable label: Computer use	
Short response:	
A.	No playing video/computer game
B.	Less than 1 hour per day
C.	1 hour per day
D.	2 hours per day
E.	3 hours per day
F.	4 hours per day
G.	5 or more hours per day
QN82:	Numerator: Students who answered E, F, or G for Q82 Denominator: Students who answered A, B, C, D, E, F, or G for Q82 Summary text: Percentage of students who played video or computer games or used a computer 3 or more hours per day (for something that was not school work on an average school day) Variable label: Played video or computer games or used a computer 3 or more hours per day
Q83.	In an average week when you are in school, on how many days do you go to physical education (PE) classes?
A.	0 days
B.	1 day
C.	2 days
D.	3 days
E.	4 days
F.	5 days
Variable label: PE attendance	
QN83:	Numerator: Students who answered B, C, D, E, or F for Q83 Denominator: Students who answered A, B, C, D, E, or F for Q83 Summary text: Percentage of students who attended physical education classes on 1 or more days (in an average week when they were in school) Variable label: Attended physical education classes on 1 or more days Dependence: Required by QNDLYPE
Q84.	During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)
A.	0 teams
B.	1 team
C.	2 teams
D.	3 or more teams
Variable label: Sports team participation	
QN84:	Numerator: Students who answered B, C, or D for Q84 Denominator: Students who answered A, B, C, or D for Q84 Summary text: Percentage of students who played on at least one sports team (run by their school or community groups during the 12 months before the survey) Variable label: Played on at least one sports team

2015 YRBS Combined Datasets User's Guide

Q85.	<p>Have you ever been tested for HIV, the virus that causes AIDS? (Do not count tests done if you donated blood.)</p> <p>A. Yes B. No C. Not sure</p> <p>Variable label: HIV testing</p>
QN85:	<p>Numerator: Students who answered A for Q85 Denominator: Students who answered A, B, or C for Q85 Summary text: Percentage of students who were ever tested for HIV (not including tests done when donating blood) Variable label: Were ever tested for HIV</p>
Q86.	<p>When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?</p> <p>A. During the past 12 months B. Between 12 and 24 months ago C. More than 24 months ago D. Never E. Not sure</p> <p>Variable label: Oral health care</p>
QN86:	<p>Numerator: Students who answered A for Q86 Denominator: Students who answered A, B, C, D, or E for Q86 Summary text: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work during the 12 months before the survey) Variable label: Saw a dentist</p>
Q87.	<p>Has a doctor or nurse ever told you that you have asthma?</p> <p>A. Yes B. No C. Not sure</p> <p>Variable label: Asthma</p>
QN87:	<p>Numerator: Students who answered A for Q87 Denominator: Students who answered A, B, or C for Q87 Summary text: Percentage of students who had ever been told by a doctor or nurse that they had asthma Variable label: Had ever been told by a doctor or nurse that they had asthma</p>
Q88.	<p>On an average school night, how many hours of sleep do you get?</p> <p>A. 4 or less hours B. 5 hours C. 6 hours D. 7 hours E. 8 hours F. 9 hours G. 10 or more hours</p> <p>Variable label: Sleep</p>
QN88:	<p>Numerator: Students who answered E, F, or G for Q88 Denominator: Students who answered A, B, C, D, E, F or G for Q88 Summary text: Percentage of students who had 8 or more hours of sleep (on an average school night) Variable label: Had 8 or more hours of sleep</p>

2015 YRBS Combined Datasets User's Guide

Q89. During the past 12 months, how would you describe your grades in school?

- A.** Mostly A's
- B.** Mostly B's
- C. Mostly C's
- D. Mostly D's
- E. Mostly F's
- F. None of these grades
- G. Not sure

Variable label: Grades in school

QN89: Numerator: Students who answered A or B for Q89
Denominator: Students who answered A, B, C, D, E, F, or G for Q89
Summary text: Percentage of students who made mostly A's or B's in school (during the 12 months before the survey)
Variable label: Made mostly A's or B's in school

Appendix D: 2015 Supplemental Variable Specifications

Appendix D Appendix D contains the specifications for 2015 supplemental dichotomous variables. Supplemental variables are calculated based on data from one or sometimes more than one question.

QNFRDIG:	
Numerator:	Students who answered F or G for Q33
Denominator:	Students who answered A, B, C, D, E, F, or G for Q33
Summary text:	Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey)
Variable label:	Currently frequently smoked cigarettes
Dependence:	Depends on Q33
SAS code:	if q33 in ('6','7') then QNFRDIG=1; else if q33 in ('1','2','3','4','5') then QNFRDIG=2;
QNDAYDIG:	
Numerator:	Students who answered G for Q33
Denominator:	Students who answered A, B, C, D, E, F, or G for Q33
Summary text:	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)
Variable label:	Currently smoked cigarettes daily
Dependence:	Depends on Q33
SAS code:	if q33='7' then QNDAYDIG =1; else if q33 in ('1','2','3','4','5','6') then QNDAYDIG=2;
QNCIGINT:	
Numerator:	Students who answered C for Q35
Denominator:	Students who answered A, B, C, D, E, or F for Q1 and answered B, C, D, E, F, or G for Q33 and answered B, C, D, E, F, G, or H for Q35
Summary text:	Percentage of students who usually obtained their own cigarettes by buying on the internet (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years)
Variable label:	Usually obtained their own cigarettes by buying on the internet
Dependence:	Depends on Q1, Q33, and Q35
SAS code:	if q35 = '3' then qncigint=1; else if q35 in ('2','4','5','6','7','8') then qncigint=2; if q1 in ('', '7') then qncigint=.; if q33 in ('','1') then qncigint=.;

2015 YRBS Combined Datasets User's Guide

QNTOB2:

Numerator: Students who answered B, C, D, E, F, G, or H for Q33 or Q38
 Denominator: Students who answered B, C, D, E, F, G, or H for Q33 or Q38 or answered A for Q33 and Q38
 Summary text: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)
 Variable label: Currently smoked cigarettes or cigars
 Dependence: Depends on Q33 and Q38
 SAS code: if q33 in ('2','3','4','5','6','7') or
 q38 in ('2','3','4','5','6','7') then QNTOB2 = 1;
 else if q33 = '1' and q38 = '1' then QNTOB2=2;

QNTOB3:

Numerator: Students who answered B, C, D, E, F, G, or H for Q33, Q37 or Q38
 Denominator: Students who answered B, C, D, E, F, G, or H for Q33, Q37 or Q38 or answered A for Q33, Q37, and Q38
 Summary text: Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)
 Variable label: Currently used cigarettes, cigars, or smokeless tobacco
 Dependence: Depends on Q33, Q37, and Q38
 SAS code: if q33 in ('2','3','4','5','6','7') or
 q37 in ('2','3','4','5','6','7') or
 q38 in ('2','3','4','5','6','7') then QNTOB3 = 1;
 else if q33 = '1' and q37 = '1' and q38 = '1' then QNTOB3=2;

QNTOB4:

Numerator: Students who answered B, C, D, E, F, G, or H for Q33, Q37, Q38, or Q40
 Denominator: Students who answered B, C, D, E, F, G, or H for Q33, Q37, Q38, or Q40 or answered A for Q33, Q37, Q38, and Q40
 Summary text: Percentage of students who currently used tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)
 Variable label: Currently used tobacco
 Dependence: Depends on Q33, Q37, Q38, and Q40
 SAS code: if q33 in ('2','3','4','5','6','7') or
 q37 in ('2','3','4','5','6','7') or
 q38 in ('2','3','4','5','6','7') or
 q40 in ('2','3','4','5','6','7') then QNTOB4 = 1;
 else if q33 = '1' and q37 = '1' and q38 = '1' and q40 = '1' then QNTOB4=2;

QNNOTOB2:

Numerator: Students who answered A for Q33 and Q38
 Denominator: Students who answered A, B, C, D, E, F, G, or H for Q33 and Q38
 Summary text: Percentage of students who did not currently smoke cigarettes or cigars (on at least 1 day during the 30 days before the survey)
 Variable label: Did not currently smoke cigarettes or cigars
 Dependence: Depends on Q33 and Q38
 SAS code: if q33 = '1' and q38 = '1' then QNNOTOB2 = 1;
 else if q33 in ('1','2','3','4','5','6','7') and
 q38 in ('1','2','3','4','5','6','7')
 then QNNOTOB2 = 2;

2015 YRBS Combined Datasets User's Guide

QNNOTOB3:

Numerator: Students who answered A for Q33, Q37 and Q38
 Denominator: Students who answered A, B, C, D, E, F, G, or H for Q33, Q37, and Q38
 Summary text: Percentage of students who did not currently use cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)
 Variable label: Did not currently use cigarettes, cigars, or smokeless tobacco
 Dependence: Depends on Q33, Q37, and Q38
 SAS code: if q33 = '1' and q37 = '1' and q38 = '1' then QNNOTOB3 = 1;
 else if q33 in ('1','2','3','4','5','6','7') and
 q37 in ('1','2','3','4','5','6','7') and
 q38 in ('1','2','3','4','5','6','7')
 then QNNOTOB3 = 2;

QNNOTOB4:

Numerator: Students who answered A for Q33, Q37, Q38, and Q40
 Denominator: Students who answered A, B, C, D, E, F, G, or H for Q33, Q37, Q38, and Q40
 Summary text: Percentage of students who did not currently use tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)
 Variable label: Did not currently use tobacco
 Dependence: Depends on Q33, Q37, Q38, and Q40
 SAS code: if q33 = '1' and q37 = '1' and q38 = '1' and q40 = '1' then QNNOTOB4 = 1;
 else if q33 in ('1','2','3','4','5','6','7') and
 q37 in ('1','2','3','4','5','6','7') and
 q38 in ('1','2','3','4','5','6','7') and
 q40 in ('1','2','3','4','5','6','7')
 then QNNOTOB4 = 2;

QNIUDIMP:

Numerator: Students who answered E for Q66
 Denominator: Students who answered C, D, E, F, G, or H for Q63 and answered B, C, D, E, F, G, or H for Q66
 Summary text: Percentage of students who used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)
 Variable label: Used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon)
 Dependence: Depends on Q63 and Q66
 SAS code: if q63 in ('3','4','5','6','7','8') then do;
 if q66='5' then QNIUDIMP = 1;
 else if q66 in ('2','3','4','6','7','8') then QNIUDIMP = 2;
 end;

2015 YRBS Combined Datasets User's Guide

QNSHPARG:

Numerator: Students who answered F for Q66
 Denominator: Students who answered C, D, E, F, G, or H for Q63 and answered B, C, D, E, F, G, or H for Q66
 Summary text: Percentage of students who used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (during last sexual intercourse among students who were currently sexually active)
 Variable label: Used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing)
 Dependence: Depends on Q63 and Q66
 SAS code: if q63 in ('3','4','5','6','7','8') then do;
 if q66='6' then QNSHPARG = 1;
 else if q66 in ('2','3','4','5','7','8') then QNSHPARG = 2;
 end;

QNOTHHPL:

Numerator: Students who answered C, D, E, or F for Q66
 Denominator: Students who answered C, D, E, F, G, or H for Q63 and answered B, C, D, E, F, G, or H for Q66
 Summary text: Percentage of students who used birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)
 Variable label: Used birth control pills; an IUD or implant; or a shot, patch, or birth control ring
 Dependence: Depends on Q63 and Q66
 SAS code: if q63 in ('3','4','5','6','7','8') then do;
 if q66 in ('3','5','6') then QNOTHHPL=1;
 else if q66 in ('2','4','7','8') then QNOTHHPL=2;
 end;

QNDUALBC:

Numerator: Students who answered B for Q65 and C, E, or F for Q66
 Denominator: Students who answered C, D, E, F, G, or H for Q63 and answered B or C for 65 and answered B, C, D, E, F, G, or H for Q66
 Summary text: Percentage of students who used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse (to prevent STD and pregnancy among students who were currently sexually active)
 Variable label: Used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse
 Dependence: Depends on Q63, Q65, and Q66
 SAS code: if q63 in ('3','4','5','6','7','8') then do;
 if q65='2' and q66 in ('3','5','6') then QNDUALBC=1;
 else if q65 in(' ') or Q66 in(' ') then QNDUALBC=.;
 else if q65 in ('3') or q66 in ('2','4','7','8') then QNDUALBC=2;
 end;

2015 YRBS Combined Datasets User's Guide

QNBCNONE:	
Numerator:	Students who answered B for Q66
Denominator:	Students who answered C, D, E, F, G, or H for Q63 and answered B, C, D, E, F, G, or H for Q66
Summary text:	Percentage of students who did not use any method to prevent pregnancy (during last sexual intercourse among students who were currently sexually active)
Variable label:	Did not use any method to prevent pregnancy
Dependence:	Depends on Q63 and Q66
SAS code:	<pre> if q63 in ('3','4','5','6','7','8') then do; if q66='2' then QNBCNONE=1; else if q665 in ('3','4','5','6','7','8') then QNBCNONE=2; end;</pre>
QNOBESE:	
Summary text:	Percentage of students who were obese (\geq 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)
Variable label:	Were obese
Dependence:	Depends on Q1, Q2, Q6, and Q7
QNOWT:	
Summary text:	Percentage of students who were overweight (\geq 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)
Variable label:	Were overweight
Dependence:	Depends on Q1, Q2, Q6, and Q7
QNFR0:	
Numerator:	Calculated
Denominator:	Students who answered A, B, C, D, E, F, or G for Q71 and Q72
Summary text:	Percentage of students who did not eat fruit or drink 100% fruit juices (during the 7 days before the survey)
Variable label:	Did not eat fruit or drink 100% fruit juices
Dependence:	Depends on Q71 and Q72
SAS code:	<pre> TOTALf=0; array fruitq0a (*) q71 q72 ; array summ0a (*) q71n q72n ; do i = 1 to dim(fruitq0a); if fruitq0a{i} = '1' then summ0a{i} = 0; else if fruitq0a{i} = '2' then summ0a{i} = 2/7; else if fruitq0a{i} = '3' then summ0a{i} = 5/7; else if fruitq0a{i} = '4' then summ0a{i} = 1; else if fruitq0a{i} = '5' then summ0a{i} = 2; else if fruitq0a{i} = '6' then summ0a{i} = 3; else if fruitq0a{i} = '7' then summ0a{i} = 4; else summ0a{i}=.; TOTALf=TOTALf+summ0a{i}; end; if TOTALf = 0 then QNFR0=1; else if TOTALf > 0 then QNFR0=2;</pre>

2015 YRBS Combined Datasets User's Guide

QNFR1:

Numerator: Calculated
 Denominator: Students who answered A, B, C, D, E, F, or G for Q71 and Q72
 Summary text: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (during the 7 days before the survey)
 Variable label: Ate fruit or drank 100% fruit juices one or more times per day
 Dependence: Depends on Q71 and Q72
 SAS code:


```
TOTALf=0;
array fruitq1a (*) q71 q72 ;
array summla (*) q71n q72n ;
do i = 1 to dim(fruitq1a);
  if fruitq1a{i} = '1' then summla{i} = 0;
  else if fruitq1a{i} = '2' then summla{i} = 2/7;
  else if fruitq1a{i} = '3' then summla{i} = 5/7;
  else if fruitq1a{i} = '4' then summla{i} = 1;
  else if fruitq1a{i} = '5' then summla{i} = 2;
  else if fruitq1a{i} = '6' then summla{i} = 3;
  else if fruitq1a{i} = '7' then summla{i} = 4;
  else summla{i}=.;
  TOTALf=TOTALf+summla{i};
end;
if TOTALf GE 1 then QNFR1=1;
else if 0 LE TOTALf LT 1 then QNFR1=2;
```

QNFR2:

Numerator: Calculated
 Denominator: Students who answered A, B, C, D, E, F, or G for Q71 and Q72
 Summary text: Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (during the 7 days before the survey)
 Variable label: Ate fruit or drank 100% fruit juices two or more times per day
 Dependence: Depends on Q71 and Q72
 SAS code:


```
TOTALf=0;
array fruitq2a (*) q71 q72 ;
array summ2a (*) q71n q72n ;
do i = 1 to dim(fruitq2a);
  if fruitq2a{i} = '1' then summ2a{i} = 0;
  else if fruitq2a{i} = '2' then summ2a{i} = 2/7;
  else if fruitq2a{i} = '3' then summ2a{i} = 5/7;
  else if fruitq2a{i} = '4' then summ2a{i} = 1;
  else if fruitq2a{i} = '5' then summ2a{i} = 2;
  else if fruitq2a{i} = '6' then summ2a{i} = 3;
  else if fruitq2a{i} = '7' then summ2a{i} = 4;
  else summ2a{i}=.;
  TOTALf=TOTALf+summ2a{i};
end;
if TOTALf GE 2 then QNFR2=1;
else if 0 LE TOTALf LT 2 then QNFR2=2;
```

2015 YRBS Combined Datasets User's Guide

QNFR3:

Numerator:	Calculated
Denominator:	Students who answered A, B, C, D, E, F, or G for Q71 and Q72
Summary text:	Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (during the 7 days before the survey)
Variable label:	Ate fruit or drank 100% fruit juices three or more times per day
Dependence:	Depends on Q71 and Q72
SAS code:	<pre> TOTALf=0; array fruitq3a (*) q71 q72 ; array summ3a (*) q71n q72n ; do i = 1 to dim(fruitq3a); if fruitq3a{i} = '1' then summ3a{i} = 0; else if fruitq3a{i} = '2' then summ3a{i} = 2/7; else if fruitq3a{i} = '3' then summ3a{i} = 5/7; else if fruitq3a{i} = '4' then summ3a{i} = 1; else if fruitq3a{i} = '5' then summ3a{i} = 2; else if fruitq3a{i} = '6' then summ3a{i} = 3; else if fruitq3a{i} = '7' then summ3a{i} = 4; else summ3a{i}=.; TOTALf=TOTALf+summ3a{i}; end; if TOTALf GE 3 then QNFR3=1; else if 0 LE TOTALf LT 3 then QNFR3=2; </pre>

QNVEG0:

Numerator:	Calculated
Denominator:	Students who answered A, B, C, D, E, F, or G for Q73, Q74, Q75, and Q76
Summary text:	Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)
Variable label:	Did not eat vegetables
Dependence:	Depends on Q73, Q74, Q75, and Q76
SAS code:	<pre> TOTALv=0; array vegq0a (*) q73 q74 q75 q76; array summ0a (*) q73n q74n q75n q76n; do i = 1 to dim(vegq0a); if vegq0a{i} = '1' then summ0a{i} = 0; else if vegq0a{i} = '2' then summ0a{i} = 2/7; else if vegq0a{i} = '3' then summ0a{i} = 5/7; else if vegq0a{i} = '4' then summ0a{i} = 1; else if vegq0a{i} = '5' then summ0a{i} = 2; else if vegq0a{i} = '6' then summ0a{i} = 3; else if vegq0a{i} = '7' then summ0a{i} = 4; else summ0a{i}=.; TOTALv=TOTALv+summ0a{i}; end; if TOTALv = 0 then QNVEG0=1; else if TOTALv > 0 then QNVEG0=2; </pre>

2015 YRBS Combined Datasets User's Guide

QNVEG1:

Numerator: Calculated
Denominator: Students who answered A, B, C, D, E, F, or G for Q73, Q74, Q75, and Q76
Summary text: Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)
Variable label: Ate vegetables one or more times per day
Dependence: Depends on Q73, Q74, Q75, and Q76
SAS code:

```
TOTALv=0;
array vegq1a (*) q73 q74 q75 q76;
array summv1a (*) q73n q74n q75n q76n;
do i = 1 to dim(vegq1a);
  if vegq1a{i} = '1' then summv1a{i} = 0;
  else if vegq1a{i} = '2' then summv1a{i} = 2/7;
  else if vegq1a{i} = '3' then summv1a{i} = 5/7;
  else if vegq1a{i} = '4' then summv1a{i} = 1;
  else if vegq1a{i} = '5' then summv1a{i} = 2;
  else if vegq1a{i} = '6' then summv1a{i} = 3;
  else if vegq1a{i} = '7' then summv1a{i} = 4;
  else summv1a{i} = .;
TOTALv=TOTALv+summv1a{i};
end;
if TOTALv ge 1 then QNVEG1=1;
else if 0 le TOTALv lt 1 then QNVEG1=2;
```

QNVEG2:

Numerator: Calculated
Denominator: Students who answered A, B, C, D, E, F, or G for Q73, Q74, Q75, and Q76
Summary text: Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)
Variable label: Ate vegetables two or more times per day
Dependence: Depends on Q73, Q74, Q75, and Q76
SAS code:

```
TOTALv=0;
array vegq2a (*) q73 q74 q75 q76;
array summv2a (*) q73n q74n q75n q76n;
do i = 1 to dim(vegq2a);
  if vegq2a{i} = '1' then summv2a{i} = 0;
  else if vegq2a{i} = '2' then summv2a{i} = 2/7;
  else if vegq2a{i} = '3' then summv2a{i} = 5/7;
  else if vegq2a{i} = '4' then summv2a{i} = 1;
  else if vegq2a{i} = '5' then summv2a{i} = 2;
  else if vegq2a{i} = '6' then summv2a{i} = 3;
  else if vegq2a{i} = '7' then summv2a{i} = 4;
  else summv2a{i} = .;
TOTALv=TOTALv+summv2a{i};
end;
if TOTALv ge 2 then QNVEG2=1;
else if 0 le TOTALv lt 2 then QNVEG2=2;
```

2015 YRBS Combined Datasets User's Guide

QNVEG3:

Numerator: Calculated
 Denominator: Students who answered A, B, C, D, E, F, or G for Q73, Q74, Q75, and Q76
 Summary text: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)
 Variable label: Ate vegetables three or more times per day
 Dependence: Depends on Q73, Q74, Q75, and Q76
 SAS code:


```
TOTALv=0;
array vegq3a (*) q73 q74 q75 q76;
array summv3a (*) q73n q74n q75n q76n;
do i = 1 to dim(vegq3a);
  if vegq3a{i} = '1' then summv3a{i} = 0;
  else if vegq3a{i} = '2' then summv3a{i} = 2/7;
  else if vegq3a{i} = '3' then summv3a{i} = 5/7;
  else if vegq3a{i} = '4' then summv3a{i} = 1;
  else if vegq3a{i} = '5' then summv3a{i} = 2;
  else if vegq3a{i} = '6' then summv3a{i} = 3;
  else if vegq3a{i} = '7' then summv3a{i} = 4;
  else summv3a{i} = .;
TOTALv=TOTALv+summv3a{i};
end;
if TOTALv ge 3 then QNVEG3=1;
else if 0 le TOTALv lt 3 then QNVEG3=2;
```

QNSODA1:

Numerator: Students who answered D, E, F, or G for Q77
 Denominator: Students who answered A, B, C, D, E, F, or G for Q77
 Summary text: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (not including diet soda or diet pop, during the 7 days before the survey)
 Variable label: Drank a can, bottle, or glass of soda or pop one or more times per day
 Dependence: Depends on Q77
 SAS code:


```
if q77 in ('4','5','6','7') then QNSODA1=1;
else if q77 in ('1','2','3') then QNSODA1=2;
```

QNSODA2:

Numerator: Students who answered E, F, or G for Q77
 Denominator: Students who answered A, B, C, D, E, F, or G for Q77
 Summary text: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (not including diet soda or diet pop, during the 7 days before the survey)
 Variable label: Drank a can, bottle, or glass of soda or pop two or more times per day
 Dependence: Depends on Q77
 SAS code:


```
if q77 in ('5','6','7') then QNSODA2=1;
else if q77 in ('1','2','3','4') then QNSODA2=2;
```

QNSODA3:

Numerator: Students who answered F or G for Q77
 Denominator: Students who answered A, B, C, D, E, F, or G for Q77
 Summary text: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (not including diet soda or diet pop, during the 7 days before the survey)
 Variable label: Drank a can, bottle, or glass of soda or pop three or more times per day
 Dependence: Depends on Q77
 SAS code:


```
if q77 in ('6','7') then QNSODA3=1;
else if q77 in ('1','2','3','4','5') then QNSODA3=2;
```

2015 YRBS Combined Datasets User's Guide

QNMILK1:	
Numerator:	Students who answered D, E, F, or G for Q78
Denominator:	Students who answered A, B, C, D, E, F, or G for Q78
Summary text:	Percentage of students who drank one or more glasses per day of milk (during the 7 days before the survey)
Variable label:	Drank one or more glasses per day of milk
Dependence:	Depends on Q78
SAS code:	if q78 in ('4','5','6','7') then QNMILK1=1; else if q78 in ('1','2','3') then QNMILK1=2;
QNMILK2:	
Numerator:	Students who answered E, F, or G for Q78
Denominator:	Students who answered A, B, C, D, E, F, or G for Q78
Summary text:	Percentage of students who drank two or more glasses per day of milk (during the 7 days before the survey)
Variable label:	Drank two or more glasses per day of milk
Dependence:	Depends on Q78
SAS code:	if q78 in ('5','6','7') then QNMILK2=1; else if q78 in ('1','2','3','4') then QNMILK2=2;
QNMILK3:	
Numerator:	Students who answered F or G for Q78
Denominator:	Students who answered A, B, C, D, E, F, or G for Q78
Summary text:	Percentage of students who drank three or more glasses per day of milk (during the 7 days before the survey)
Variable label:	Drank three or more glasses per day of milk
Dependence:	Depends on Q78
SAS code:	if q78 in ('6','7') then QNMILK3=1; else if q78 in ('1','2','3','4','5') then QNMILK3=2;
QNBK7DAY:	
Numerator:	Students who answered H for Q79
Denominator:	Students who answered A, B, C, D, E, F, G or H for Q79
Summary text:	Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)
Variable label:	Ate breakfast on all 7 days
Dependence:	Depends on Q79
SAS code:	if q79 in ('8') then QNBK7DAY=1; else if q79 in ('1','2','3','4','5','6','7') then QNBK7DAY=2;
QNPA0DAY:	
Numerator:	Students who answered A for Q80
Denominator:	Students who answered A, B, C, D, E, F, G, or H for Q80
Summary text:	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)
Variable label:	Did not participate in at least 60 minutes of physical activity on at least 1 day
Dependence:	Depends on Q80
SAS code:	if q80='1' then QNPA0DAY=1; else if q80 in ('2','3','4','5','6','7','8') then QNPA0DAY=2;

2015 YRBS Combined Datasets User's Guide

QNPA7DAY:

Numerator:	Students who answered H for Q80
Denominator:	Students who answered A, B, C, D, E, F, G, or H for Q80
Summary text:	Percentage of students who were physically active at least 60 minutes per day on all 7 days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)
Variable label:	Were physically active at least 60 minutes per day on all 7 days
Dependence:	Depends on Q80
SAS code:	if q80='8' then QNPA7DAY=1; else if q80 in ('1','2','3','4','5','6','7') then QNPA7DAY=2;

QNDLYPE:

Numerator:	Students who answered F for Q83
Denominator:	Students who answered A, B, C, D, E, or F for Q83
Summary text:	Percentage of students who attended physical education classes on all 5 days (in an average week when they were in school)
Variable label:	Attended physical education classes on all 5 days
Dependence:	Depends on Q83
SAS code:	if Q83='6' then QNDLYPE=1; else if Q83 in ('1','2','3','4','5') then QNDLYPE=2;

Appendix E: Selected Additional Risk Behavior Variable Specifications

Appendix E Appendix E contains the specifications for selected additional risk behavior variables in original and dichotomized formats. These variables come from questions that are not on the standard 2015 YRBS questionnaire but they are considered to be of broad interest and so are included in the Combined Datasets.

qhowmarijuana:

During the past 30 days, how did you usually use marijuana?

- A. I did not use marijuana during the past 30 days
- B. I smoked it in a joint, bong, pipe, or blunt**
- C. I ate it in food such as brownies, cakes, cookies, or candy
- D. I drank it in tea, cola, alcohol, or other drinks
- E. I vaporized it
- F. I used it some other way

Variable label: Usual use of marijuana

qnhowmarijuana;

Numerator: Students who answered B for Q90
Denominator: Students who answered B, C, D, E, or F for Q90
Summary text: Percentage of students who usually used marijuana by smoking it in a joint, bong, pipe, or blunt (during the 30 days before the survey, among students who used marijuana)

Variable label: Usually used marijuana by smoking it in a joint, bong, pipe, or blunt

qhallucdrug:

During your life, how many times have you used hallucinogenic drugs, such as LSD, acid, PCP, angel dust, mescaline, or mushrooms?

- A. 0 times
- B. 1 or 2 times**
- C. 3 to 9 times**
- D. 10 to 19 times**
- E. 20 to 39 times**
- F. 40 or more times**

Variable label: Ever used LSD

qnhallucdrug:

Numerator: Students who answered B, C, D, E, or F
Denominator: Students who answered A, B, C, D, E, or F
Summary text: Percentage of students who have used hallucinogenic drugs, such as LSD, acid, PCP, angel dust, mescaline, or mushrooms, one or more times during their life
Variable label: Used LSD 1+ times

2015 YRBS Combined Datasets User's Guide

qsunscreenuse:

When you are outside for more than one hour on a sunny day, how often do you wear sunscreen with an SPF of 15 or higher?

- A. Never
- B. Rarely
- C. Sometimes
- D. Most of the time**
- E. Always**

Variable label: Sunscreen use outside

qnsunscreenuse:

Numerator: Students who answered D or E

Denominator: Students who answered A, B, C, D, or E

Summary text: Percentage of students who most of the time or always wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day

Variable label: Mostly or always wear sunscreen

qnindoortanning:

During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do not count getting a spray-on tan.)

- A. 0 times
- B. 1 or 2 times**
- C. 3 to 9 times**
- D. 10 to 19 times**
- E. 20 to 39 times**
- F. 40 or more times**

Variable label: Indoor tanning

qnindoortanning:

Numerator: Students who answered B, C, D, E, or F

Denominator: Students who answered A, B, C, D, E, or F

Summary text: Percentage of students who used an indoor tanning device (such as a sunlamp, sunbed, or tanning booth [not including getting a spray-on tan], one or more times during the 12 months before the survey)

Variable label: Used an indoor tanning device

qmusclestrength:

On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?

- A. 0 days
- B. 1 day
- C. 2 days
- D. 3 days**
- E. 4 days**
- F. 5 days**
- G. 6 days**
- H. 7 days**

Variable label: Muscle strengthening

qnmusclestrength:

Numerator: Students who answered D ,E ,F , G, or H

Denominator: Students who answered A, B, C, D, E, F, G, or H

Summary text: Percentage of students who did exercises to strengthen or tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days

Variable label: Did exercises to strengthen or tone their muscles

qgenderexp:

A person's appearance, style, dress, or the way they walk or talk may affect how people describe them. How do you think other people at school would describe you?

- A. Very feminine
- B. Mostly feminine
- C. Somewhat feminine
- D. Equally feminine and masculine**
- E. Somewhat masculine
- F. Mostly masculine
- G. Very masculine

Variable label: How others would describe you

qngenderexp:

Numerator: Students who answered D

Denominator: Students who answered A, B, C, D, E, F, or G

Summary text: Percentage of students who think other people at school would describe them as equally feminine and masculine

Variable label: Equally feminine and masculine

2015 YRBS Combined Datasets User's Guide

qcelldriving:

During the past 30 days, on how many days did you talk on a cell phone while driving a car or other vehicle?

- A. I did not drive a car or other vehicle during the past 30 days
- B. 0 days
- C. **1 or 2 days**
- D. **3 to 5 days**
- E. **6 to 9 days**
- F. **10 to 19 days**
- G. **20 to 29 days**
- H. **All 30 days**

Variable label: Did you talk on cell phone while driving

qncelldriving:

Numerator: Students who answered C, D, E, F, G, or H

Denominator: Students who answered B, C, D, E, F, G, or H

Summary text: Among students who drove a car or other vehicle during the past 30 days, the percentage who talked on a cell phone while driving on one or more of the past 30 days

Variable label: Talked on cell phone driving 1+ past 30d

qbullyweight:

During the past 12 months, have you ever been the victim of teasing or name calling because of your weight, size, or physical appearance?

- A. **Yes**
- B. No

Variable label: Ever been teased because of weight

qnbullyweight:

Numerator: Students who answered A

Denominator: Students who answered A or B

Summary text: Percentage of students who have ever been the victim of teasing or name calling during the past 12 months because of their weight, size, or physical appearance

Variable label: Been teased b/c of weight past 12 mos

qbullygay:

During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual?

- A. **Yes**
- B. No

Variable label: Ever been teased b/c labeled GLB

qnbullygay:

Numerator: Students who answered A

Denominator: Students who answered A or B

Summary text: Percentage of students who have ever been the victim of teasing or name calling during the past 12 months because someone thought they were gay, lesbian, or bisexual

Variable label: Been teased b/c labeled GLB past 12 mos

2015 YRBS Combined Datasets User's Guide

qtypealcohol:

During the past 30 days, what type of alcohol did you usually drink? (Select only one response.)

- A. I did not drink alcohol during the past 30 days
- B. I do not have a usual type
- C. Beer
- D. Flavored malt beverages, such as Smirnoff Ice, Bacardi Silver, or Hard Lemonade
- E. Wine coolers, such as Bartles & Jaymes or Seagrams
- F. Wine
- G. **Liquor, such as vodka, rum, scotch, bourbon, or whiskey**
- H. Some other type

Variable label: What type of alcohol usually drink 30d

qntypealcohol:

Numerator: Students who answered G

Denominator: Students who answered C, D, E, F, G, or H

Summary text: Among students who drank alcohol during the past 30 days and who have a usual type of alcohol that they drink, the percentage who reported liquor, such as vodka, rum, scotch, bourbon, or whisky, as their type of alcohol they usually drank during the past 30 days

Variable label: Liquor type alcohol drank past 30 days

qcigschool:

During the past 30 days, on how many days did you smoke cigarettes on school property?

- A. 0 days
- B. **1 or 2 days**
- C. **3 to 5 days**
- D. **6 to 9 days**
- E. **10 to 19 days**
- F. **20 to 29 days**
- G. **All 30 days**

Variable label: Days use cigarettes school property 30 days

qncigschool:

Numerator: Students who answered B, C, D, E, F, or G

Denominator: Students who answered A, B, C, D, E, F, or G

Summary text: Percentage of students who smoked cigarettes on school property on one or more of the past 30 days

Variable label: Used cigarettes at school 1+ 30 days

qchewtobschool:

During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?

- A. 0 days
- B. 1 or 2 days**
- C. 3 to 5 days**
- D. 6 to 9 days**
- E. 10 to 19 days**
- F. 20 to 29 days**
- G. All 30 days**

Variable label: Days use snuff school property 30 days

qnchewtobschool:

Numerator: Students who answered B, C, D, E, F, or G

Denominator: Students who answered A, B, C, D, E, F, or G

Summary text: Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days

Variable label: Used snuff/dip at school 1+ 30 days

qalcoholschool:

During the past 30 days, on how many days did you have at least one drink of alcohol on school property?

- A. 0 days
- B. 1 or 2 days**
- C. 3 to 5 days**
- D. 6 to 9 days**
- E. 10 to 19 days**
- F. 20 to 29 days**
- G. All 30 days**

Variable label: How many days drink @ school 30 days

qnalcoholschool:

Numerator: Students who answered B, C, D, E, F, or G

Denominator: Students who answered A, B, C, D, E, F, or G

Summary text: Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days

Variable label: Had 1+ drinks at school 1+ 30 days

2015 YRBS Combined Datasets User's Guide

qmarijuanaschool:

During the past 30 days, how many times did you use marijuana on school property?

- A. 0 times
- B. 1 or 2 times**
- C. 3 to 9 times**
- D. 10 to 19 times**
- E. 20 to 39 times**
- F. 40 or more times**

Variable label: How many times marijuana@school 30 days

qnarijuanaschool:

Numerator: Students who answered B, C, D, E, or F

Denominator: Students who answered A, B, C, D, E, or F

Summary text: Percentage of students who used marijuana on school property one or more times during the past 30 days

Variable label: Used marijuana @ school 1+ times 30 day

qprescription30d:

During the past 30 days, how many times did you take a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

- A. 0 times
- B. 1 or 2 times**
- C. 3 to 9 times**
- D. 10 to 19 times**
- E. 20 to 39 times**
- F. 40 or more times**

Variable label: Times take drug w/o prescription 30d

qnprescription30d:

Numerator: Students who answered B, C, D, E, or F

Denominator: Students who answered A, B, C, D, E, or F

Summary text: Percentage of students who took a prescription drug without a doctor's prescription one or more times during the past 30 days

Variable label: Prescription drug 1+ times past 30 days

qcurrentcocaine:

During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?

- A. 0 times
- B. 1 or 2 times**
- C. 3 to 9 times**
- D. 10 to 19 times**
- E. 20 to 39 times**
- F. 40 or more times**

Variable label: How many times use cocaine 30 days

qncurrentcocaine:

Numerator: Students who answered B, C, D, E, or F

Denominator: Students who answered A, B, C, D, E, or F

Summary text: Percentage of students who used any form of cocaine, including powder, crack, or freebase, one or more times during the past 30 days

Variable label: Used cocaine 1+ times past 30 days

2015 YRBS Combined Datasets User's Guide

qcurrentasthma:

Do you still have asthma?

A. I have never had asthma

B. Yes

C. No

D. Not sure

Variable label: Do you still have asthma

qncurrentasthma:

Numerator: Students who answered B

Denominator: Students who answered A to “Has a doctor or nurse ever told you that you have asthma?”

Summary text: Percentage of students who had been told by a doctor or nurse that they had asthma and who still have asthma

Variable label: With current asthma

qtaughtsexed:

Have you ever had sex education in school?

A. Yes

B. No

C. Not sure

Variable label: Ever had sex education in school

qntaughtsexed:

Numerator: Students who answered A

Denominator: Students who answered A, B, or C

Summary text: Percentage of students who have ever had sex education in school

Variable label: Had sex education in school ever

qtaughtstd:

Have you ever been taught in school about sexually transmitted diseases (STDs)?

A. Yes

B. No

C. Not sure

Variable label: Ever been taught in school about STDs

qntaughtstd:

Numerator: Students who answered A

Denominator: Students who answered A, B, or C

Summary text: Percentage of students who have ever been taught in school about sexually transmitted diseases (STDs)

Variable label: Been taught in school about STDs ever

qtaughtbc:

Have you ever been taught in school about birth control methods?

- A. Yes**
- B. No
- C. Not sure

Variable label: Ever been taught about BC methods in sch

qntaughtbc:

Numerator: Students who answered A

Denominator: Students who answered A, B, or C

Summary text: Percentage of students who have ever been taught in school about birth control methods

Variable label: Been taught in school about BC methods

qdietpop:

During the past 7 days, how many times did you drink a can, bottle, or glass of diet soda or pop, such as Diet Coke, Diet Pepsi, or Sprite Zero?

- A. I did not drink diet soda or pop during the past 7 days
- B. 1 to 3 times during the past 7 days
- C. 4 to 6 times during the past 7 days
- D. 1 time per day**
- E. 2 times per day**
- F. 3 times per day**
- G. 4 or more times per day**

Variable label: How many times diet soda past 7 days

qndietpop:

Numerator: Students who answered D, E, F, or G

Denominator: Students who answered A, B, C, D, E, F, or G

Summary text: Percentage of students who drank a can, bottle, or glass of diet soda or pop, such as Diet Coke, Diet Pepsi, or Sprite Zero, one or more times per day during the past seven days

Variable label: Drink 1+ times/day diet soda past 7d

qcoffteea:

During the past 7 days, how many times did you drink a cup, can, or bottle of coffee, coffee drinks, or any kind of tea?

- A. I did not drink coffee, coffee drinks, or tea during the past 7 days
- B. 1 to 3 times during the past 7 days
- C. 4 to 6 times during the past 7 days
- D. 1 time per day**
- E. 2 times per day**
- F. 3 times per day**
- G. 4 or more times per day**

Variable label: Times drink coffee or tea past 7 days

qncoffteea:

Numerator: Students who answered D, E, F, or G

Denominator: Students who answered A, B, C, D, E, F, or G

Summary text: Percentage of students who drank a cup, can, or bottle of coffee, coffee drinks, or any kind of tea one or more times per day during the past seven days

Variable label: Drank 1+ times/day coffee/tea past 7d

2015 YRBS Combined Datasets User's Guide

qsportsdrink:

During the past 7 days, how many times did you drink a can, bottle, or glass of a sports drink such as Gatorade or PowerAde? (Do not count low-calorie sports drinks such as Propel or G2.)

- A. I did not drink sports drinks during the past 7 days
- B. 1 to 3 times during the past 7 days
- C. 4 to 6 times during the past 7 days
- D. 1 time per day
- E. 2 times per day
- F. 3 times per day
- G. 4 or more times per day

Variable label: Sports drinks

qnsportsdrink:

Numerator: Students who answered A
Denominator: Students who answered A, B, C, D, E, F, or G
Summary text: Percentage of students who did not drink a can, bottle, or glass of a sports drink (such as Gatorade or PowerAde, not including low-calorie sports drinks such as Propel or G2, during the 7 days before the survey)
Variable label: Did not drink a can, bottle, or glass of a sports drink

qnspdrk1:

Numerator: Students who answered D, E, F, or G
Denominator: Students who answered A, B, C, D, E, F, or G
Summary text: Percentage of students who drank a can, bottle, or glass of a sports drink one or more times per day (not including low calorie sports drinks such as Propel or G2, during the 7 days before the survey)
Variable label: Drank 1+ times sports drink/day 7d

qnspdrk2:

Numerator: Students who answered E, F, or G
Denominator: Students who answered A, B, C, D, E, F, or G
Summary text: Percentage of students who drank a can, bottle, or glass of a sports drink two or more times per day (not including low calorie sports drinks such as Propel or G2, during the 7 days before the survey)
Variable label: Drank 2+ times sports drink/day 7d

qnspdrk3:

Numerator: Students who answered F or G
Denominator: Students who answered A, B, C, D, E, F, or G
Summary text: Percentage of students who drank a can, bottle, or glass of a sports drink three or more times per day (not including low calorie sports drinks such as Propel or G2, during the 7 days before the survey)
Variable label: Drank 3+ times sports drink/day 7d

2015 YRBS Combined Datasets User's Guide

qenergydrink:

During the past 7 days, how many times did you drink a can, bottle, or glass of an energy drink, such as Red Bull or Jolt? (Do not count diet energy drinks or sports drinks such as Gatorade or PowerAde.)

- A. I did not drink energy drinks during the past 7 days
- B. 1 to 3 times during the past 7 days
- C. 4 to 6 times during the past 7 days
- D. 1 time per day**
- E. 2 times per day**
- F. 3 times per day**
- G. 4 or more times per day**

Variable label: How many times energy drink past 7 days

qnenergydrink:

Numerator: Students who answered D, E, F, or G

Denominator: Students who answered A, B, C, D, E, F, or G

Summary text: Percentage of students who drank a can, bottle, or glass of an energy drink, such as Red Bull or Jolt, one or more times per day during the past seven days

Variable label: Drank 1+ times/day energy drink past 7d

qsugardrink:

During the past 7 days, how many times did you drink a can, bottle, or glass of a sugar-sweetened beverage such as lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight? (Do not count soda or pop, sports drinks, energy drinks, or 100% fruit juice.)

- A. I did not drink sugar-sweetened beverages during the past 7 days
- B. 1 to 3 times during the past 7 days**
- C. 4 to 6 times during the past 7 days**
- D. 1 time per day**
- E. 2 times per day**
- F. 3 times per day**
- G. 4 or more times per day**

Variable label: Times sugar-sweetened beverage past 7d

qnsugardrink:

Numerator: Students who answered B, C, D, E, F, or G

Denominator: Students who answered A, B, C, D, E, F, or G

Summary text: Percentage of students who drank a can, bottle, or glass of a sugar-sweetened beverage such as lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight one or more times per day during the past seven days

Variable label: Drank 1+times/day sugar beverage past 7d

qwater:

During the past 7 days, how many times did you drink a bottle or glass of plain water? (Count tap, bottled, and unflavored sparkling water.)

- A. I did not drink water during the past 7 days
- B. 1 to 3 times during the past 7 days
- C. 4 to 6 times during the past 7 days
- D. 1 time per day
- E. 2 times per day
- F. 3 times per day
- G. 4 or more times per day

Variable label: Plain water

qnwater:

Numerator: Students who answered A
Denominator: Students who answered A, B, C, D, E, F, or G
Summary text: Percentage of students who did not drink a bottle or glass of plain water (including tap, bottled, and unflavored sparkling water, during the 7 days before the survey)

Variable label: Did not drink a bottle or glass of plain water

qnwater1:

Numerator: Students who answered D, E, F, or G
Denominator: Students who answered A, B, C, D, E, F, or G
Summary text: Percentage of students who drank one or more glasses per day of water (during the 7 days before the survey)

Variable label: Drank 1+ times plain water/day 7d

qnwater2:

Numerator: Students who answered E, F, or G
Denominator: Students who answered A, B, C, D, E, F, or G
Summary text: Percentage of students who drank two or more glasses per day of water (during the 7 days before the survey)

Variable label: Drank 2+ times plain water/day 7d

qnwater3:

Numerator: Students who answered F or G
Denominator: Students who answered A, B, C, D, E, F, or G
Summary text: Percentage of students who drank three or more glasses per day of water (during the 7 days before the survey)

Variable label: Drank 3+ times plain water/day 7d

2015 YRBS Combined Datasets User's Guide

qfastfood:

During the past 7 days, on how many days did you eat at least one meal or snack from a fast food restaurant such as McDonald's, Taco Bell, or KFC?

- A. 0 days
- B. 1 day
- C. 2 days
- D. 3 days**
- E. 4 days**
- F. 5 days**
- G. 6 days**
- H. 7 days**

Variable label: Days 1+ meal/snack fast food past 7d

qnfastfood:

Numerator: Students who answered D, E, F, G, or H

Denominator: Students who answered A, B, C, D, E, F, G, or H

Summary text: Percentage of students who ate at least one meal or snack from a fast food restaurant such as McDonald's, Taco Bell, or KFC on three or more of the past seven days

Variable label: Ate 1+ meal/snack fast food 3+ days

qfoodallergy:

Are there any foods that you have to avoid because eating the food could cause an allergic reaction, like skin rashes, swelling, itching, vomiting, coughing, or trouble breathing?

- A. Yes**
- B. No
- C. Not sure

Variable label: Food allergies

qnfoodallergy:

Numerator: Students who answered A

Denominator: Students who answered A, B, or C

Summary text: Percentage of students who have to avoid some foods because eating the food could cause an allergic reaction (such as skin rashes, swelling, itching, vomiting, coughing, or trouble breathing)

Variable label: Have to avoid some foods because eating the food could cause an allergic reaction

2015 YRBS Combined Datasets User's Guide

qsunburn:

During the past 12 months, how many times have you had a sunburn? (Count the number of times even a small part of your skin turned red or hurt for 12 hours or more after being outside in the sun or after using a sunlamp or other indoor tanning device.)

- A. 0 times
- B. 1 time**
- C. 2 times**
- D. 3 times**
- E. 4 times**
- F. 5 or more times**

Variable label: Sunburn

qnsunburn:

Numerator: Students who answered B, C, D, E, or F
Denominator: Students who answered A, B, C, D, or E
Summary text: Percentage of students who had a sunburn (including even a small part of the skin turning red or hurting for 12 hours or more after being outside in the sun or after using a sunlamp or other indoor tanning device, one or more times during the 12 months before the survey)

Variable label: Had a sunburn

qconcentrating:

Because of a physical, mental, or emotional problem, do you have serious difficulty concentrating, remembering, or making decisions?

- A. Yes**
- B. No

Variable label: Difficulty concentrating

qnconcentrating:

Numerator: Students who answered A
Denominator: Students who answered A or B
Summary text: Percentage of students who have serious difficulty concentrating, remembering, or making decisions (because of a physical, mental, or emotional problem)
Variable label: Have serious difficulty concentrating, remembering, or making decisions

qspeakenglish:

How well do you speak English?

- A. Very well**
- B. Well**
- C. Not well
- D. Not at all

Variable label: How well speak English

qnspeakenglish:

Numerator: Students who answered A or B
Denominator: Students who answered A, B, C, or D
Summary text: Percentage of students who speak English well or very well
Variable label: Speak English well or very well